

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

OBS

Abandoned

WELL SCHEDULE

Date Oct. 1, 1957 Field No. \_\_\_\_\_  
Record by E. J. Harvey Office No. K52  
Source of data Mr. Hester Jones, Chief Engr.

1. Location: State Miss. County Rankin

Map Hosp. well #1  
Ch. NN  $\frac{1}{4}$  SW  $\frac{1}{4}$  sec. 26 T 5 N 2 E W

2. Owner: Miss. State Hosp. Address Whitfield

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller Layne Central Address \_\_\_\_\_

3. Topography \_\_\_\_\_

4. Elevation 327 ft. above MSL (B)

5. Type: Dug drilled, driven, bored, jetted \_\_\_\_\_ 1927

6. Depth: Rept. PKS ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 18 in. to 12 in., Type SI

Depth \_\_\_\_\_ ft., Finish Bot Screen

8. Chief Aquifer \_\_\_\_\_ From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9. Water level 99 ft. rept. 19 27 above  
meas. \_\_\_\_\_ below

which is 2 ft. above  
below surface

10. Pump: Type None Capacity \_\_\_\_\_ G. M.

Power: Kind \_\_\_\_\_ Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_

12. Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs Abol


Adequacy, permanence \_\_\_\_\_

13. Quality \_\_\_\_\_ Temp \_\_\_\_\_ °F.

Taste, odor, color \_\_\_\_\_ Sample Yes

Unfit for \_\_\_\_\_ No

14. Remarks: (Log, Analyses, etc.) Orig. 40 HP. Motor



Hosp # 2      Hosp # 4

1927 1939      1927 1939

Hosp # 3      1927 1939

Boiler      Dry

1939

Hosp. No. 2

K 37

38	2	Clay
39	4	Sand
40	5	Sand
52	8 1/2	Gravel
	7 3/8	Sand
	7 1/2	Sand + shale
	7 2/3	Sandstone
	6 8/9	Shale
	5 7/6	Sandstone
	5 3/6	Sand + clay
	1 1/0	Sand
	1 1/9	Clay
	1 1	

Original setting 1968" Present

DEPARTMENT OF THE ARMY  
UNITED STATES

$\frac{40}{30} = 1 \frac{1}{3}$

Well Schedule

Record by: *MPH*

Date: *1945*

Source of data: \_\_\_\_\_

1. Location: State \_\_\_\_\_, County \_\_\_\_\_, Township \_\_\_\_\_, Range \_\_\_\_\_, Section \_\_\_\_\_, NE1/4 \_\_\_\_\_, NW1/4 \_\_\_\_\_, SW1/4 \_\_\_\_\_, SE1/4 \_\_\_\_\_

2. Owner: \_\_\_\_\_

3. Name: \_\_\_\_\_

4. Well: \_\_\_\_\_

5. Type: \_\_\_\_\_

6. Depth: \_\_\_\_\_

7. Diameter: \_\_\_\_\_

8. Construction: \_\_\_\_\_

9. Water level: \_\_\_\_\_

10. Pump: \_\_\_\_\_

11. Yield: \_\_\_\_\_

12. Use: \_\_\_\_\_

13. Quantity: \_\_\_\_\_

14. Remarks: \_\_\_\_\_

Screen Yield: \_\_\_\_\_

SMC: \_\_\_\_\_

Date: \_\_\_\_\_

MP: \_\_\_\_\_



*Added 20 pump setting  
pump setting on #2, 3, and 4 to 240'.  
down from 740 to 250' pm.*

*Office*

*Boiler 1929*

*No. 1 A. 6d. 1927 845'*

*No. 2 B(5) 1927 825'*

*3 260 1938 820'*

*4 162 1944 865'*

*Att 3 wells (2, 3 and 4) 149' 1956*

*1929*

*20' 1929*