

Gt wo 21-1  
0610009-02

FORM 9-1642  
(1-68)

APR 21 1975 No. 7/3/96

P. PUNCHED  
Elog # 350

UNCHECKED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD JAC JCM WR

Long (Layne Central) 4/24/72  
BOWC

APR 23 1975

Record by Source of data Date Map Florence

State 28 County (or town) RANKIN 61

Latitude: 32 09 19 N Longitude: 09 00 74 W Sequential number: 1

Lat-long accuracy: 2 4 20 Sec 30 SW 1/4, SW 1/4, SE 1/4

Local well number: P 0758 D 3004 N 02 E Other number: Well # 2

Local use: 064350 472 41 Owner or name: (Fire Sta.) - MAY - 5 1975

Owner or name: FLORENCE Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (A) (B) (C) (D) (E) (F) (G) (H) (I) (M) (N) (P) (R) Stock, Instat, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other MU P

Use of well: (A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (S) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas. Field aquifer char. Z

Hyd. lab. data:

Qual. water data, type:

Freq. sampling: Pumpage inventory: no. period:

Aperture cards: yes

Log data: 10' - 991' CCKF D E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 985 ft Meas. rept accuracy 3

Depth cased: 925 ft Casing type: Steel; Diam. 12x6 in 12

Finish: porous concrete, gravel w. screen, gravel w. gallery, horiz. open end, perf., screen, sd. pt., shored, open hole, other

Method: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (X) (Y) (Z) Drilled: air bored, cable, dug, hyd jetted, air percussion, rotary, reverse trenching, driven, drive wash, other

Date Drilled: 12-1-71 9:71 Pump intake setting: ft

Driller: SINGER-LAYNE name address

Lift (type): (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (S) Deep Shallow 7

Power (type): diesel, gas, gasoline, hand, gas, wind; H.P. 30 Trans. or meter no. V

Descrip. MP Breather hole in pump base 4.3 ft above below LSD, Alt. MP

Alt. LSD: 300 Accuracy: 4

Water Level: ft above below MP; Ft below LSD 118 Accuracy: D

Date meas: 172 Yield: 200 Method determined

Drawdown: ft 5.4 Accuracy: Pumping period @ 2.19 gpm hrs 2.4

QUALITY OF WATER DATA: Iron Sulfate Chloride Hard. Sp. Conduct K x 10 Temp. Date sampled

Taste, color, etc.

Well No. P75







DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR

PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): Hardin/Phillips DATE: 7/3/96

UNIT DEQ #: \_\_\_\_\_ FILE #: A070314 D

HEALTH DEPT. #: 610009-02 ELEV. 300'

USGS #: P75 OLWR #: GW02171

OWNER: Town of Florence QUAD: Florence

LOCATION: SW/SE S 30 T 4N R 2E COUNTY: Rankin


LOCATION DESCRIPTION: At fire station on Lewis St.

CASING DIA: \_\_\_\_\_ PUMP TYPE & SIZE: Turbine/30 HP

GPS FIELD LOCATION: LAT. 32°09.143' N LONG. 90°07.975' W

GPS CORRECTED LOCATION: LAT. 32.15221050 LONG. 90.13258243

REMARKS: Measured 60' NW of well. Well no longer used.



● INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1980  
 KING 2.7 MI. V  
 21 MI. TO MISS. 28

**ROAD CLASSIFICATION**

- |   |   |
|---|---|
| Primary highway,<br>hard surface.....   | Light-duty road, hard or<br>improved surface..... |
| Secondary highway,<br>hard surface..... | Unimproved road .....                             |

(STAR) 2948 11 SE