

WRD Exp. (GW)  
April 1966

# PUNCHED WELL SCHEDULE

Well No. W18

E Log # 189

PUNCHED  
APR 23 1975

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

### MASTER CARD

Record by E Jessup Source of data MSG5 Date 2-19-68 Map \_\_\_\_\_

State Miss. 28 County (or town) Rankin 61

Latitude: 32 07 57 N Longitude: 089 51 17 Sequential number: 1

Lat-long accuracy: 30 T. 3 S, R 4 W, Sec 2, NE NE B & M

Local well number: W018 A0203N04E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: John Lee Overby Address: \_\_\_\_\_

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, \_\_\_\_\_

(S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other H

Use of well: 250 B John-10' (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed W

DATA AVA: 03180002 Field aquifer char. E

Hyd. lab \_\_\_\_\_

Qual. wa \_\_\_\_\_

Freq. sa \_\_\_\_\_

Aperture \_\_\_\_\_

Log data \_\_\_\_\_

WELL-D: SAME A Meas. 24 accuracy \_\_\_\_\_

Depth of (first p) \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_

Finish: \_\_\_\_\_ (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_

Method Drilled: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive wash, \_\_\_\_\_

Date Drilled: 1-16-68 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Water Well Serv. Co. name (L) address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, multiple, multiple, none, piston, rot, submerg, turb, other \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above ft below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 385' G.L. Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Well No.

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N  
d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic  
Province: \_\_\_\_\_

Section: \_\_\_\_\_

Drainage  
Basin: \_\_\_\_\_

Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
type of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: \_\_\_\_\_

(O) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

JOB

WATER

system

series

aquifer, formation, group

Geology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer

Thickness: \_\_\_\_\_

Length of

well open to: \_\_\_\_\_

Depth to

top of: \_\_\_\_\_

JOB

WATER

system

series

aquifer, formation, group

Geology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer

Thickness: \_\_\_\_\_

Length of

well open to: \_\_\_\_\_

Depth to

top of: \_\_\_\_\_

Intervals

encountered:

Depth to

consolidated rock: \_\_\_\_\_

ft

Source of data: \_\_\_\_\_

Depth to

cement: \_\_\_\_\_

ft

Source of data: \_\_\_\_\_

Efficient

infiltration

characteristics: \_\_\_\_\_

Infiltration

characteristics: \_\_\_\_\_

Efficient

storage:

\_\_\_\_\_

gpd/ft

Coefficient

Storage: \_\_\_\_\_

Efficient


transmission:

\_\_\_\_\_

gpd/ft<sup>2</sup>

Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_