

# WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

## MASTER CARD

Record by B Source of data Bore Date 6 68 Map \_\_\_\_\_

State 28 County (or town) 62

Latitude: 323200N Longitude: 0892200 Sequential number: 1

Lat-long accuracy: 6 T. 9 S. R. 9 W. Sec. 15

Local well number: D013 Other number: \_\_\_\_\_ B & M

Local use: 151 Owner or name: JACK SHARP Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed (W) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

## WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 260 Meas. 3

Depth cased: (first perf.) 250 Casing type: 4X2 in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. open perf., screen, sd. pt., shored, open hole, other S

Method: (A) air bored, cable, dug, hyd jetted, rot., (B) bored, (C) cable, (D) dug, (E) jetted, (F) air, (G) reverse, (H) trenching, (I) driven, (J) wash, other H

Date Drilled: 9:6:5 Pump intake setting: \_\_\_\_\_ ft 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (D) none, piston, rot, submerg, turb, other S Deep D Shallow 40

Power (type): (A) diesel, elec, gas, gasoline, hand, gas, wind; H.P. T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft below LSD 130 Accuracy: \_\_\_\_\_

Date meas: 6:6:5 Yield: \_\_\_\_\_ gpm 20 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No.

D13

Latitude-longitude  
 \_\_\_\_\_  
 d m s N  
 \_\_\_\_\_  
 d m s S

**GEOLOGIC CARD**

DATE AS ON MASTER CARD \_\_\_\_\_ Physiographic Province: 03 Section: \_\_\_\_\_  
19 20 21

D Drainage Basin: 137 Subbasin: \_\_\_\_\_  
22 23 25 26

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 site: (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_  
27

ER: \_\_\_\_\_ series TE aquifer, formation, group SS  
28 29 30 31

logy: US Origin: 2 Aquifer Thickness: \_\_\_\_\_ ft  
32 33 34

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 125  
37 38 40 41 43

ER: \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
44 45 46 47

logy: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
48 49 50

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_  
53 54 56 57 59

vals ned: \_\_\_\_\_


to lidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_  
60 63 64

to ent: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_  
65 68 69

cial ial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_  
70 71 72

icient : \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_  
73 75 76 78

icient : \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_  
79



Well No.

D13