

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

Record by B E Ellison Source of data File Date 2/10/65 Map 11272

State 28 County (or town) Sharkey 63

Latitude: 33° 02' 24" N Longitude: 090° 41' 35" W Sequential number: 1

Lat-long accuracy: 2 T. 14 S. R. 5 Sec. 23 SW 1 SW 5

Local well number: B010CC2314N05W Other number: B & M

Local use: 087 Owner or name: F W CLINKSCALES Address: Hollandale Miss

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other I

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type: U.S.G.S. 7-28-65, Comp.

Freq. sampling:  Pumpage inventory: yes  no  period:

Aperture cards:  yes

Log data:

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: 108 Meas. accuracy 6

Depth cased: (first perf.) 85 Casing type: — Diam. 14x12 in 14

Finish: porous concrete, gravel w. (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) other 5

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air, (G) reverse, (H) trenching, (I) driven, (J) drive, (K) rot., (L) percussion, (M) rotary, (N) wash, (O) other 4

Date Drilled: 965 Pump intake setting: — ft —

Driller: Butane Gas Co. Greenwood Miss

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 7 Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 50 Trans. or meter no. J

Descrip. MP Top of 10" Discharge pipe 6.0 ft above 92 LSD, Alt. MP 92

Alt. LSD: 98 Accuracy: (source) 3

Water Level 26.90 ft above 2.1 MP; Ft below 2.1 LSD Accuracy: 4

Date meas: 2/10/65 Yield: 2600 gpm Method determined 9

Drawdown: — ft Accuracy: — Pumping period — hrs —

QUALITY OF WATER DATA: Iron — ppm Sulfate — ppm Chloride — ppm Hard. — ppm

Sp. Conduct 750 K x 10<sup>6</sup> Temp. 65 °F Date sampled 7-28-75

Taste, color, etc. PH-7.2

Well No. B10

Well No. B10

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

1 SAME AS ON MASTER CARD 19 03 20 21 03 Section: \_\_\_\_\_

22 E Drainage Basin: 15H 23 24 Subbasin: \_\_\_\_\_

25 (D) (C) (E) (F) (R) (K) (L) 03  
 Topo of well site: depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series QA 28 29 aquifer, formation, group M/A 30 31  
 Lithology: \_\_\_\_\_ 32 33 Origin: 2 34 Aquifer Thickness: \_\_\_\_\_ ft

35 \_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft 23 36 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 43

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ 44 45 aquifer, formation, group \_\_\_\_\_ 46 47  
 Lithology: \_\_\_\_\_ 48 49 Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

51 \_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ 56 Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ 59

Intervals Screened: \_\_\_\_\_



Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ 60 63 Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ 65 68 Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ 73 75 Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No. B10