

WELL SCHEDULE

Elog #133

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by WTR Source of data MSG5 Date 1/71 Map \_\_\_\_\_

State 28 County (or town) SIMPSON 64

Latitude: 31° 58' 57" N Longitude: 08° 45' 53" W Sequential number: 1

Lat-long accuracy: 2 T, 2 S, 4 W, Sec 30, SE 1/4, NW 1/4, SE 1/4

Local well number: D046BD3002NO4E Other number: \_\_\_\_\_

Local use: 222133 Owner or name: \_\_\_\_\_

Owner or name: EFFIER TILLER Address: D'LO

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instat, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other W

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_

DATA AVAILABLE: Well data 70 Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. 71

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: Elog 10' - 262'

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_

Depth cased: (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, open hole, other \_\_\_\_\_

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) wash, other \_\_\_\_\_

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft

Driller: Thompson

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 350 Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm


Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

D46

Well No. D46



HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Section: 03

D Drainage Basin: 137 Subbasin: 26

Topo of well site: (D) (C) (E) (P) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp, (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: system series 28 29 aquifer, formation, group 30 31

Lithology: 32 33 Origin: 34 Aquifer Thickness: 34 ft

35 37 Length of well open to: 38 40 ft Depth to top of: 41 43 ft

MINOR AQUIFER: system series 44 45 aquifer, formation, group 46 47

Lithology: 48 49 Origin: 50 Aquifer Thickness: 50 ft

51 53 Length of well open to: 54 56 ft Depth to top of: 57 59 ft

Intervals Screened:


Depth to consolidated rock: 60 63 ft Source of data: 64

Depth to basement: 65 68 ft Source of data: 69

Surficial material: 70 71 Infiltration characteristics: 72

Coefficient Trans: 73 75 gpd/ft<sup>2</sup> Coefficient Storage: 76 78

Coefficient Perm: 79 gpd/ft<sup>2</sup>; Spec cap: 79 gpm/ft; Number of geologic cards: 79



Well No.