

WRD Exp. (GW)  
April 1966

OK

Well No.

A3

AUG 13 1975

WELL SCHEDULE

35213

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

SEP 16 1975

MASTER CARD

Record by WTO Source of data Bowc Date 10/68 Map [REDACTED]

State 28 County (or town) Stone 66

Latitude: 32° 01' 28" N Longitude: 03° 4' 02" W Sequential number: 1

Lat-long accuracy: 3 deg 7 min 9 sec 12 degrees 13 min sec 18

Local well number: A003D01902513W Other number: B & M

Local use: 164 Owner or name: HILAND SEAL Address: WIGGINS

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instic, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: 0

Qual. water data; type: 8175(USGS) C

Freq. sampling: 0 Pumpage inventory: 0 yes 0 no, period: 0

Aperture cards: 0 yes 0

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 60 ft Meas. 3

Depth cased: (first perf.) 55 ft Casing Type: PVC; Diam. 2 in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), gallery, end, horz. open perf., screen, sd. pt., shored, open hole, other S

Method: (A) air bored, cable, dug, hyd jetted, rot., (B) air, (C) rot., (D) percussion, (E) rotary, (F) reverse trenching, (G) driver, (H) wash, (I) other H

Date Drilled: 2/23/67 9.67 Pump intake setting: 0 ft

Driller: CW SMITH

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (D) none, piston, rot, submerg, turb, other J Deep 0 Shallow 0

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 5 Trans. or meter no. 0

Descrip. MP 0 above ft below LSD, Alt. MP 0

Alt. LSD: 350 Accuracy: (source) 4

Water Level: 30 ft above MP; 30 ft below LSD Accuracy: 0

Date meas: 2.67 Yield: 12 gpm Method determined 0

Drawdown: 0 ft Accuracy: 0 Pumping period: 0 hrs

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 250 K x 10 0 Temp. °F 19.5 Date sampled 8.7.5

Taste, color, etc. PH-5.3

RECORDS SECTION BRANCH

Well No.

A3

Well No. A3

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 130 Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Top of well site: depression, stream channel, dunes, flat, hilltop, sink, swamp,  
(Ø) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system, \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group CI

Lithology: \_\_\_\_\_ 9S Origin: \_\_\_\_\_ 2 Aquifer Thickness: >46 ft

Length of well open to: \_\_\_\_\_ ft 5 Depth to top of: \_\_\_\_\_ ft 14

MINOR AQUIFER: \_\_\_\_\_ system, \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ 48 Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 55' - 60'


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ 70 Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft 73 Coefficient Storage: \_\_\_\_\_ 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. A3