

John Hannon 391

L 16

FORM 9-1642 (1-68)

Well No. \_\_\_\_\_

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MAY 1974

MASTER CARD

Record by Pe. G. Hannon Source of data Obs. Date 1/28/74 Map \_\_\_\_\_

State 28 County (or town) Stark Sequential number: 66

Latitude: 30° 41' 25" N Longitude: 089° 04' 02" W

Lat-long accuracy: 3 T 4 N 11 E Sec 23 T. NW R. NW

Local well number: 4016B132304511W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: US Forestry Serv.

Owner or name: U S FORESTRY Address: Airly Tower  
Work Center

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ F

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec. \_\_\_\_\_  
(S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_ USGS Complete 1/28/74

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

40

WELL-DESCRIPTION CARD

40 SAME AS ON MASTER CARD Depth well: 180 ft Meas. rept accuracy \_\_\_\_\_

Depth cased; (first perf.): \_\_\_\_\_ ft Casing type: S&W Diam. 4 1/2"

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: Reworked 960 Pump intake setting: 160 ft 1/4" \_\_\_\_\_

Driller: Joe Miller address LANSON MISS

Lift (type): (A) air, (B) bucket, (C) cent. jet, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. \_\_\_\_\_ 1 1/2 Trans. or meter no. \_\_\_\_\_

Descrip. MP 10-14-S2-D ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 205 Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: Jan 60? Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 100 K x 10<sup>6</sup> \_\_\_\_\_ Temp. 22.0 Date sampled 1/28/74 \_\_\_\_\_

Taste, color, etc. P.A. 6.3 \_\_\_\_\_

Well No.

PH - 8.9 NOTE - WATER NOT TANK

