

MAY 29 1975

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

RECORDED

MASTER CARD

Record by G F Brown Source of data JW Jones Date 12-10-38 Map Baird

State 28 County (or town) Lumberton 67

Latitude: 33 17 4 26 N Longitude: 0 2 5 7 5 1 1 S Sequential number: 10

Lat-long accuracy: 30 T 17 S, R 4 Sec 26, SW NW

Local well number: T022CB2617N04W Other number: B & M

Local use: 35 40 45 51 Owner or name: J. W. JONES Address: \_\_\_\_\_

Ownership: (C) County, Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist, (W) \_\_\_\_\_ 67 P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Flre, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ 68 H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. \_\_\_\_\_ 69 W

DATA AVAILABLE: Well data 70 Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_ 71

Hyd. lab. data: \_\_\_\_\_ 73

Qual. water data; type: \_\_\_\_\_ 74

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes \_\_\_\_\_ no, period: \_\_\_\_\_ 75 76

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_ 77

Log data: \_\_\_\_\_ 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1128.2 ft Meas. rept. accuracy \_\_\_\_\_ 24 6

Depth cased; (first perf.) \_\_\_\_\_ ft. \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. 4-2 in \_\_\_\_\_ 29 30 4

Finish: porous concrete, (perf.), gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ 31 X

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rot., (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ 32 H

Date Drilled: 9/11/38 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 33 38

Driller: Heuring name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 39 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_ 41

Descrip. MP top of 4" pipe ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_ 42 43

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47 4

Water Level 31.07 ft above \_\_\_\_\_ below MP; Ft below LSD +31 Accuracy: \_\_\_\_\_ 52 A

Date meas: D.38 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ 53 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 54 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 69 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. 77.9 °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 73 79

Taste, color, etc. \_\_\_\_\_

