

Water Point  
Data

FORM 9-1642  
(1-68)

Well No. H9

WELL SCHEDULE

**PUNCHED**

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

12/2/88  
WL=233.40

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

335821090220601

108 B WEBB

MASTER CARD

Record by BE. Wasson Source of data P.Z. Campbell Date 5/17/60 Map

State 28 County (or town) Tallahatchie 68

Latitude: 33 58 21 N Longitude: 09 02 20 6 Sequential number: 1

Lat-long accuracy: 2 24 20 2 SW SE Other number: B & M

Local well number: H009C00224NO2W Other number:

Local use: 064 Owner or name:

Owner or name: SUMNER Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: W

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other W

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. U Standby

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type: USGS 5/72

Freq. sampling:  Pumpage inventory:  no, period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 783 Meas. 6

Depth cased: 743 Casing type: 10X8 in 10

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, other 5

Method Drilled: air rot, bored, cable, dug, hyd jetted, percussive, rotary, air reverse, driven, wash, other H

Date Drilled: 955 Pump intake setting: 25 ft 38

Driller: Layne Central

Lift (type): air, bucket, cent, jet, multiple, none, piston, rot, submerg, turb, other 7 Deep 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 25  Trans. or meter no. 41

Descrip. MP 1173 above ft below LSD, Alt. MP 150

Alt. LSD: 1173 Accuracy: 3

Water Level 12 Accuracy: 4

Date meas: 372 Yield: 372 Method determined 61

Drawdown: 4 Accuracy: 72 Pumping period 3-23-72 hrs 372

WATER DATA: Iron 4 Chloride 72 Hard. 72

Sp. Conduct 580 K x 10 4 Temp. 72 Date sampled 3-23-72 372

Taste, color, etc. pH = 8.1 22°C PEG

Well No. H9

Latitude-longitude \_\_\_\_\_ N S \_\_\_\_\_ d m s d m s

HYDROGEOLOGIC CARD

SAME AS 177 Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 15F Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) \_\_\_\_\_ 27

MAJOR AQUIFER: TE system series \_\_\_\_\_ aquifer, formation, group TA

Lithology: US Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_ system series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_


Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



peg { 15.00 hold  
1.27 wet  
13.73  
-2.00 L.S.D.  
11.73 w.L. G.L.

w.L. = 2' below L.S. in 1955  
= 11.73 below L.S. in 3/23/72 peg

UP-DATED \_\_\_\_\_



Well No. 177

