

SITE ID-344620089524501

30C 97 ~~6A~~

FORM 9-1642 (1-68)

Well No. B29

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION DEC 26 1973

MASTER CARD

Record by B.D. Source of data ROWC Date 5-71 Map \_\_\_\_\_

State 9 28 County (or town) Tate 34 67

Latitude: 34<sup>60</sup>46<sup>30</sup>20<sup>00</sup>N Longitude: 08<sup>00</sup>9<sup>52</sup>45<sup>00</sup> Sequential number: 1

Lar-long accuracy: 3<sup>00</sup> T 9<sup>00</sup> S R 7<sup>00</sup> W Sec 1 NE 1 NE 1 NW 1

Local well number: B029AB0104S07W Other number: \_\_\_\_\_

Local use: 100 Owner or name: R. C. HART Address: Calhoun

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. Well meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data: type:

Freq. sampling:  Pumpage inventory:  no. period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 100 Meas. 3

Depth cased: 93 Casing type: PR Diam. 4

Finish: (C) porous concrete, (F) gravel w. (perfor.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) horiz. screen, (K) open hole, (L) other S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd jettred, (F) air rot., (G) reverse percussion, (H) rotary, (I) air reverse, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 9-70 Pump intake setting: \_\_\_\_\_ ft

Driller: Harold Bias

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 3/4 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: 60 ft above \_\_\_\_\_ below MP; 60 ft above \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_

Date meas: N-70 Yield: \_\_\_\_\_ gpm Method determined: \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

1929



