

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 26 1973

MASTER CARD

Record by JCM Source of data BOWC Date 10-71 Map \_\_\_\_\_  
 State 28 County Tate (or town) 69  
 Latitude: 37° 41' 00" N Longitude: 09° 00' 42" W Sequential number: 1  
 Lat-long accuracy: 3 T 5 S 8 Sec 5 NW 1/4 NW 1/4 NW 1/4  
 Local well number: F019B0505S08W Other number: \_\_\_\_\_ B & M  
 Local use: 223 Owner or name: EZELL NESBIT Address: Coldwater  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W  
 DATA AVAILABLE: Well data  Freq: W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data, type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes   
 Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 162 ft Meas. accuracy 3  
 Depth cased: \_\_\_\_\_ ft Casing Type: Galv Diam. 2x1/4  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) rotary, (V) trenching, (W) driven, (Z) wash, other H  
 Date Drilled: 9-7-71 Pump intake setting: \_\_\_\_\_ ft  
 Driller: Jim Renix name address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other  Deep  Shallow 40  
 Power (type): diesel, X gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. S  
 Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 110 Accuracy: \_\_\_\_\_  
 Date meas: 9-7-71 Yield: \_\_\_\_\_ gpm Method determined 4  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No.

F19

Latitude-longitude

N  
S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

0305030

Drainage Basin: \_\_\_\_\_

15E

Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system

series

TE

aquifer, formation, group

SS

Lithology: \_\_\_\_\_

US

Origin: \_\_\_\_\_

2

Aquifer Thickness: \_\_\_\_\_

12

ft

Length of well open to: \_\_\_\_\_ ft

4

Depth to top of: \_\_\_\_\_ ft

150

MINOR AQUIFER:

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

1 1/4" Brass lined

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_



gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

619