

FORM NO. 9-1904-E  
Revised September 1980

ROBERT DANIEL

U.S. DEPT. OF INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
WATER-LEVEL DATA

All. --

TATE CTY  
WELL NO. G39  
MP HEIGHT 124 SPR7

Sec. 8

Site Ident. No. 34,40,00,089,5,7,35,01

R = 234 \* T = A \*

DATE	WATER LEVEL (BELOW LSD)	STATUS	METHOD	HOLD	CUT	DEPTH BELOW MP	REMARKS	DATE PUNCHED	DATE ENTERED
235 # 10/21/82 *	237 = . . . . . *	238 = * *	239 = * *	CAN	124 SPR7				
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						
235 # / / / *	237 = . . . . . *	238 = * *	239 = * *						

MEASURING POINT  
 R = 320 \* T = A D M \*  
 add, delete, modify

Method of Measurement  
 239 = A B C E G H L M N R S T V Z  
 airline, analog, calibrated, estimated, pressure, calibrated, geophysical, manometer, non-reported, steel, electric, calibrated, other  
 gage pressure logs gage gage gage gage gage gage gage

M.P. Begin Date 321 # / / / / / \*  
 M.P. End Date 322 = / / / / / \*  
 M.P. Height 323 = . . . . . \*  
 M.P. Remark 324 = . . . . . \*

Site Status  
 238 = D E F G H I J N Ø P R S T V W X Z  
 dry, recently, flowing, nearby, nearby, injector, injector, discon- obstruction, pumping, recently, nearby, nearby, foreign, well, affected by, other  
 flowing flowing recently flowing or site tinued pumped pumping recently matter destroyed surface  
 monitor measuring, pumping on water water site

Sparta

FORM 9-1642 (1-68)

Well No. G 39

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JCM Source of data BOWC Date 4-72 Map \_\_\_\_\_  
 State 28 County (or town) TATE 69  
 Latitude: 344000<sup>N</sup> Longitude: 0895735<sup>W</sup> Sequential number: 1  
 Lat-long accuracy: 5<sup>T</sup> 5<sup>S</sup> 7<sup>R</sup> 7<sup>E</sup> Sec 8  
 Local well number: G039 0805507W Other number: \_\_\_\_\_  
 Local use: 323 Owner or name: ROBERT DANIEL Address: Coldwater

Ownership: County, Fed Gov't, City, Corp or Co, Private, State, Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Z) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data:   
 Qual. water data; type:   
 Freq. sampling:  Pumpage inventory: no, period:   
 Aperture cards:   
 Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 116.5 Meas. 3  
 Depth cased: 115.5 Casing type: Plc Diam. 4  
 Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (gallery), (H) horiz. open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other G  
 Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) rot., (J) hyd jetted, (P) air percussion, (R) reverse, (T) rotary, (V) trenching, (W) driven, (Z) drive wash, other H  
 Date Drilled: 9-7-72 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: G & H Well Co.  
 Lift (type): (A) air, (B) bucket, (C) cent. jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other S Deep  Shallow   
 Power (type): X diesel, X gas, gasoline, hand, gas, wind; H.P. 3/4 5 Trans. or meter no. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; 7.5 ft below LSD Accuracy: \_\_\_\_\_  
 Date meas.: 3-7-72 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No.

G 39

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 15E Subbasin: \_\_\_\_\_

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) offshore, pediment, hillside, terrace, undulating, valley flat. (E) (F) (R) (K) (L) (V) \_\_\_\_\_

MAJOR AQUIFER: TE system series aquifer, formation, group SS

Lithology: S Origin: 2 Aquifer Thickness: 45 ft

Length of well open to: \_\_\_\_\_ ft 10 Depth to top of: \_\_\_\_\_ ft 20

MINOR AQUIFER: \_\_\_\_\_ system series aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 4" Gravel


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

639