

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 26 1973

MASTER CARD

Record by GJD Source of data BOWC Date 12/73 Map \_\_\_\_\_

State 28 County (or town) Late 69

Latitude: 343905N Longitude: 0894658 Sequential number: 1

Lat-long accuracy: 5 T \_\_\_\_\_ S, R \_\_\_\_\_ W, Sec \_\_\_\_\_ E \_\_\_\_\_ S \_\_\_\_\_

Local well number: H067CA1305S06W Other number: \_\_\_\_\_

Local use: 100 Owner or name: T.P.M. THORNTON Address: Coldwater

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) \_\_\_\_\_ (C) \_\_\_\_\_ (D) \_\_\_\_\_ (E) \_\_\_\_\_ (F) \_\_\_\_\_ (H) \_\_\_\_\_ (I) \_\_\_\_\_ (M) \_\_\_\_\_ (N) \_\_\_\_\_ (P) \_\_\_\_\_ (R) \_\_\_\_\_ (S) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (V) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Y) \_\_\_\_\_ (Z) \_\_\_\_\_

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_ (G) \_\_\_\_\_ (H) \_\_\_\_\_ (I) \_\_\_\_\_ (M) \_\_\_\_\_ (N) \_\_\_\_\_ (P) \_\_\_\_\_ (R) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Z) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes \_\_\_\_\_ no, period: \_\_\_\_\_

erture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 100 ft Meas. rept accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft Casing type: plastic Diam. \_\_\_\_\_ in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other \_\_\_\_\_

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_

Date Drilled: 6-6-73 973 Pump intake setting: \_\_\_\_\_ ft

Driller: Harris Bros.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_

Date meas: 673 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

H67

Well No. \_\_\_\_\_

**PUNCHED**

Latitude-longitude \_\_\_\_\_  
d m s d m s

**HYDROGEOLOGIC CARD**

1 SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

20 21 Section: 03

26

19 Drainage Basin: D

22

23 Subbasin: 15E

25

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Q) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

28 29 TE

aquifer, formation, group \_\_\_\_\_

30 31 SQ

Lithology: \_\_\_\_\_

32 33 S

Origin: \_\_\_\_\_

34 2

Aquifer Thickness: \_\_\_\_\_

ft

35 Length of well open to: \_\_\_\_\_

ft \_\_\_\_\_

36 7

Depth to top of: \_\_\_\_\_

ft \_\_\_\_\_

41 8.5

MINOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

44 45 \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

46 47 \_\_\_\_\_

Lithology: \_\_\_\_\_

48 49 \_\_\_\_\_

Origin: \_\_\_\_\_

50 \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

51 Length of well open to: \_\_\_\_\_

ft \_\_\_\_\_

54 \_\_\_\_\_

Depth to top of: \_\_\_\_\_

ft \_\_\_\_\_

57 59 \_\_\_\_\_

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_

ft \_\_\_\_\_

60 \_\_\_\_\_

Source of data: \_\_\_\_\_

64 \_\_\_\_\_

Depth to basement: \_\_\_\_\_

ft \_\_\_\_\_

65 \_\_\_\_\_

Source of data: \_\_\_\_\_

69 \_\_\_\_\_

Surficial material: \_\_\_\_\_

70 71 \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

72 \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

gpd/ft \_\_\_\_\_

73 \_\_\_\_\_

Coefficient Storage: \_\_\_\_\_


76 78 \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_

79



Well No. \_\_\_\_\_