

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

NOV 7 1972

MASTER CARD

Record by JCM Source of data BOWC Date 8-72 Map \_\_\_\_\_

State 28 County (or town) Tate 69

Latitude: 343800N Longitude: 0894538 Sequential number: 1

Lat-long accuracy: 2 T. 5 S. R. 50 Sec 19 NE 1 NW 2 SE 3

Local well number: J0253D1905505W Other number: \_\_\_\_\_ B & M

Local use: 100 Owner or name: \_\_\_\_\_

Owner or name: RANDALL GOODKIN Address: Senatabia

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  Aperture cards:  Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 210 Meas. 3

Depth cased (first perf.): 196 Casing type: Pvc Diam. 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse, (V) trenching, (W) driven, (X) drive wash, other H

Date Drilled: 9-7-71 Pump intake setting: \_\_\_\_\_ ft

Driller: Harris name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., other S Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 3/4 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 120 Accuracy: \_\_\_\_\_

Date meas: D-7-1 Yield: \_\_\_\_\_ gpm Method determined: \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. J25

Latitude-longitude \_\_\_\_\_

N  
S

HYDROLOGIC CARD

SAME AS ON MASTER CARD

Physiographic

Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

STEL S' VON

D

Drainage Basin: \_\_\_\_\_

15E

Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Q) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR

AQUIFER:

system

series

TE

aquifer, formation, group

S.S

Lithology: \_\_\_\_\_

4.5

Origin: \_\_\_\_\_

2

Aquifer

Thickness: \_\_\_\_\_

3.5 ft

Length of well open to: \_\_\_\_\_ ft

1.4

Depth to top of: \_\_\_\_\_ ft

1.75

MINOR

AQUIFER:

system

series

\_\_\_\_\_

aquifer, formation, group

\_\_\_\_\_

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer

Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened:

1008 P/c

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration

characteristics: \_\_\_\_\_

Coefficient

Trans: \_\_\_\_\_

gpd/ft

\_\_\_\_\_

Coefficient


Storage: \_\_\_\_\_

Coefficient

Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

525