

SITE ID-315518089250001

FORM 9-1642 (1-68)

Well No. 03

WELL SCHEDULE  
GEOLOGICAL SURVEY

PUNCHED

504

U. S. DEPT. OF THE INTERIOR

WATER RESOURCES DIVISION

JUL 11 1973

MASTER CARD

Record by JCM Source of data BOWC Date 3-73 Map \_\_\_\_\_  
 State 43330 28 County (or town) Jatey 626 69  
 Latitude: 315518 N Longitude: 089250 Sequential number: 1  
 Lat-Long accuracy: 2 T 6 S R 5 Sec 18, SW, NW, SW & M  
 Local well number: 0003BC1806505W Other number: \_\_\_\_\_  
 Local use: 323 Owner or name: A. GARRETT Address: Corno

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist P  
 Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other H  
 Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: no  yes  period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes   
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 175 Meas. rept accuracy 3  
 Depth cased; (first perf.) \_\_\_\_\_ ft 171 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other G  
 Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (H) jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse, (U) trenching, (V) driven, (W) drive wash, (Z) other H  
 Date Drilled: 9-7-73 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Hicks address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (U) other S Deep  Shallow   
 Power (type): diesel, X gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. 5  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD 109 Accuracy: \_\_\_\_\_  
 Date meas: 1-7-73 Yield: \_\_\_\_\_ gpm 10 Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. 03

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**PUNCHED**

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province: L

03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

134 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (P) (H) (K) (L) (Φ) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: system \_\_\_\_\_ series TE aquifer, formation, group TA

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 40 ft

Length of well open to: \_\_\_\_\_ ft 4 Depth to top of: \_\_\_\_\_ ft 135

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 4" Gravel


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_ 76-78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No. \_\_\_\_\_

03

