

MS 70003-01  
804

WRD Exp. (GW)  
April 1966

Well No. D9

WELL SCHEDULE

E Log # 3

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by PE. Grantham Source of data BOVIC Date 5-67 Map \_\_\_\_\_  
 State Mississippi County 28 (or town) Tippah Sequential number: 70  
 Latitude: 34° 55' 28" N Longitude: 088° 51' 47" W  
 Lat-long accuracy: 2 sec  
 Local well number: D009A1002504E Other number: \_\_\_\_\_  
 Local use: 064008 Owner or name: Chalybeate Wtr. Assoc  
 Owner or name: CHALYBEATE W. A. Address: Chalybeate Miss

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (P) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: USGS 5/67  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  no; period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: E Log 10-701 (Does not reach aquifer) DE

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 855 ft Meas. rept accuracy 3  
 Depth cased; (1st perf.): 1825 ft Casing type: Steel; Diam. 3 1/4 in 8  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open hole, (K) other S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd. rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other H  
 Date Drilled: 10-66 966 Pump intake setting: \_\_\_\_\_ ft

Driller: Layne Control name Memphis Tenn address  
 Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg., (K) turb., (L) other T Deep  Shallow   
 Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 15 U Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: 540 540 Accuracy: 20' C.I. 4

Water Level: -180 ft above MP; Ft below LSD 180 Accuracy: \_\_\_\_\_  
 Date meas: 066 (250) yield: @60 # 100 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. 70 °F Date sampled 567

1987  
 WL = 215?  
 WL = 218.1?

contact:  
 Billy Cassitt  
 Walnut, MS  
 223-5592

Raymond  
 Rehman  
 223-4696

(Pres.) Mr Wilbanks  
 located @ Hwy 19  
 Hwy 19

WL = 206  
 10/19/78

ROLLA COMPLETION BRANCH

Well No.

