

WELL SCHEDULE

PUNCHED  
JAN 3 1974

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by CJ Source of data MBWC Date 12-5-73 Map \_\_\_\_\_

State AK 28 County (or town) Yukon-Flats 71

Latitude: 3 4 5 2 3 N Longitude: 0 8 8 1 6 9 Sequential number: 1

Let-long accuracy: 3 2 0 100 29 SE 11 NE SE

Local well number: 00244C2902510E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: JANE HUBBARD Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist R

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Beat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

1987  
W = 85.5

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 120 Meas. rept accuracy 3

Depth cased; (first perf.): \_\_\_\_\_ ft 120 Casing type: Plastic; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horis. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) rotary, (V) trenching, (W) driven, (X) wash, (B) other H

Date Drilled: 10.5.73 973 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Bonds Well Drilling

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (V) other  Deep  Shallow 40

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P.  Trans. or meter no. 41

Descrip. MP 556 above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 440 580 Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 35 Accuracy: \_\_\_\_\_

Date meas: 073 Yield: \_\_\_\_\_ gpm Method determined 41

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_



TISH.  
B 24  
10-5-73

MISSISSIPPI  
BOARD OF WATER COMMISSIONERS  
416 North State Street  
Jackson, Mississippi 39201

OCT 19 1973

CODED

WATER WELL DRILLERS LOG

10-5 1973 Bundy Well Drilling Fish Springs  
date well completed firm name county well located

LANDOWNER:	description of formations encountered	from	to
<u>Irma Hubbard</u> <u>Burnsville, Miss.</u> (mailing address)			
WELL LOCATION:			
sec. <u>29T-2</u> N R. <u>10E</u>			
<u>5</u> miles <u>NE</u> of <u>Burnsville</u> (distance) (direction) (nearest town)			
WELL PURPOSE: <u>Home</u> (home, irrigation, municipal, industrial)			
WELL COMPLETION DATA:			
(1) diameter (inches) <u>4</u>			
(2) total depth (feet) <u>120</u>			
(3) static water level (feet) <u>35</u> <u>below</u> <u>above</u> top of ground.			
(4) casing <u>Plastic</u> <u>120</u> (material) (depth)			
_____ If telescope see back. (size)			
(5) screen <u>Perforated</u> (length) (depth to top)			
<u>4</u> (size) (material)			
(6) pump <u>Madon</u> (HP) (yield gpm)			
_____ (type power)			
(7) electric log <u>NO</u> (yes or no)			
_____ (organization running log)			
(8) how well bottom plugged <u>Plugged</u>			
DRILLERS REMARKS:			

CODED

