

WELL SCHEDULE

J. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by J. Shell Source of data BOWC Date 1/69 Map \_\_\_\_\_

State 252 County 28 (or town) Tishomingo Sequential number: 77

Latitude: 34 53 20 N Longitude: 0 8 8 0 6 26 W

Lat-long accuracy: 3 2 11 23 NE NE

Local well number: C 0 0 5 A A 2 3 0 2 8 1 1 E Other number: \_\_\_\_\_

Local use: 233 Owner of name: \_\_\_\_\_

Owner or name: SHANNON WARD Address: 1736 Clair Ave

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist  (P)

Use of water: Air cond, Bottling, Comm, Devater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other  (H)

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed  (H)

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char:

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 103 ft Meas. rept 3 accuracy \_\_\_\_\_

Depth cased (if not perf.): 78 ft Casing type: Galv Diam. in \_\_\_\_\_

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horis. gallery, open end, other  (X)

Method: (A) air bored, (B) cable, (C) dug, (D) rot., (H) hyd jetted, (I) air rot., (J) percussion, (K) rotary, (L) reverse, (M) trenching, (N) driven, (O) air drive, (P) wash, (Q) other  (H)

Date Drilled: 968 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. of meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 450 Accuracy: (source) 5

Water Level 75 ft above MP; Ft below LSD 75 Accuracy: D

Date meas: N 68 Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

under Pickwick Res

6611 No.

C 5

RECORDED

Well No. C5

Latitude-longitude \_\_\_\_\_ N  
\_\_\_\_\_ S

HYDROGEOLOGIC CARD

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D Subbasin: 118R

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: 25 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 7.8 ft

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Interval Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surface material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Permeability: \_\_\_\_\_ spm/ft; Spec cap: \_\_\_\_\_ spm/ft; Number of geologic cards: \_\_\_\_\_



C5

