

wrong twin & range to be equal

plugged

4/86

Recorded by WTD  
Date 11/21/84

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. E46  
E-Log No. \_\_\_\_\_  
County TISHOMINGO

Site ID 34.51.39.08.3.1.8.3.5.0.3 R=0\* T=A\* 2=W\*

Data reliab. 3=C\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=141\*

Lat. \_\_\_\_\_ Long. 9=34.51.39\* 10=08.3.1.8.3.5\* Well No. 12=E046\*

Location 13=N.W.S.W.S.36 T.02S. R.09E\* Alt. 16=445.\*

Hyd. Unit (OWDC) 20=06030005\* Date 21=0010011981\*

Well use 23=U\* Water Use 24=U\* Hole depth 27= Well depth 28=128\*

WL 30=58\* Date 31=021211985\* Source 33=S\*

Status 273= Project No. 5=03100\*

R=158\* T=A\* Date 1590010011981\* Owner No. \_\_\_\_\_

Owner 161#U.S.C.E. 2/T.W.-15\*

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

R=58\* T=A\* 59#1\* Date 60=0010011981\* Remarks \_\_\_\_\_

Drlg. 63= Name \_\_\_\_\_ Method 65=H\* Finish 66=S\*

R=76\* T=A\* 59#1\*  
Top csng. 77# 0.\* Bot. csng. 78=126.\* Diam. 79# 1.5\*

R=76\* T=A\* 59#1\*  
Top csng. 77# Bot. csng. 78= Diam. 79#

R=82\* T=A\* 59#1\* Top 83# 126.\* Bottom 84=128.\*

Type 85=S\* Diam. 87=1.5\* Size 88=

R=82\* T=A\* 59#1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

R= T=A\* 147# 1\* Q 150= Q/S 272=  
134 flows 146 pumped

GEN. SITE DATA

OWNER

FIELD QW

CONSTR.

CASING

OPENINGS

YIELD

LIFT

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*

Date 38= / / \* H.P. 46= \* \*

LOGS

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* 117= \* 120= \*

ACQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= Z I I G O R D \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft

108= \* Hydraulic cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

R=121\* T= A \* Yr Begin 122# 1 9 8 0 \* Network 258 # \*

Water Level Data Collection (1)

MP 2.40

2/21/85 - 47.43  
 5/23/85 - 49.73  
 8/22/85 - 50.75

Not spotted in HIS,  
 but w.l. entered  
 location very  
 questionable

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING

COUNTY WELL LOCATED	Tishomingo
WELL NUMBER	2MW-15
CODED	E46
DATE WELL PLUGGED	20 Sep 90

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER
U.S. Army Engr. Dist., Mobile
P.O. Box 2288
Mobile, AL 36628
WELL LOCATION SEC TOWNSHIP RANGE
NWSW536T02SR09E
DISTANCE DIRECTION NEAREST TOWN
OTHER LANDMARK
WELL PURPOSE Home, Irrigation, Municipal, Industrial, Fish Pond, etc
Ground water study

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth 128'	Casing Diameter (In.) 1.5"	Casing Length (Ft.)
Type of Casing PVC	Hole Depth	Depth to Static Water Level 49.3'
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING ETC.)

Portland cement mix - 1 bag cement to 5.5 gallons water.  
Pumped 1.6 cf grout mix - used 1 1/2 bags cement.  
Cut riser pipe + protective pipe flush w/ground.  
Left remaining pipe and well screen in hole.

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

Ruby L. Clements      30 Sep 90  
SIGNATURE      DATE