

Well should be open
landowner: J.C. Grimes

Paden

Paden Quad

Hole 25B

FORM 9-1642
(1-68)

PUNCHED

Well No. G16

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED
JAN 11 1974

MASTER CARD

Water level
1/82
wl = 108.5'
8/13/87
106.83

Record by BSCW Source of data obs. on Date 7/29/71 Map Paden
State 28 County (or town) Zies Rowings 71

Latitude: 34^{deg} 42^{min} 53^{sec} N Longitude: 088^{deg} 16^{min} 28^{sec} Sequential number: 3

Lat-long accuracy: 2 T 4 R 100 Sec 20 NW 1 SE 1 NW 1 SW 1
Local well number: 6016BIC2004S10E Other number: B & M

Local use: 025 Owner or name: AMS Gomova Grimes
USCE 25B

Owner or name: USCE NO 25B Address: _____

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist F

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other U

Use of well: Anode, Drain, Seismic, Heat Ret, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed D

DATA AVAILABLE: Well data 1 Freq. W/L meas.: M Field aquifer char. 73

Hyd. lab. data: _____ 73

Qual. water data; type: _____ 74

Freq. sampling: _____ Pumpage inventory: 75 no. period: _____ 76

Aperture cards: _____ 77

Log data: _____ 78 DE

WELL-DESCRIPTION CARD 6" hole to 150' 4" pipe to 180'
2" pipe 180-170' 10' x 2" screen

SAME AS ON MASTER CARD Depth well: _____ ft 200 Meas. 24 1
Depth cased: _____ ft 190 Casing type: _____; Diam. 4 in 29 30

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, ad. pt., shored, open hole, other 31 S

Method Drilled: air rot, bored, cable, dug rot, hyd rot, jetted, air percussion, reverse, trenching, driven, drive wash, other 37 H

Date Drilled: 8/17/71 971 Pump intake setting: _____ ft 36 38

Driller: USCE

Lift (type): air, bucket, cent. jet, multiple (cent.), multiple (turb.), none, piston, rot, submerg, turb, other 39 Deep 40 A

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

Descrip. MP Top of 4' casing at 154' ft below LSD, Alt. MP 47 5

Alt. LSD: OK (11/89) 610 Accuracy: 20' +/- 47 5

Water Level 92.42 ft below MP; Ft below LSD 92 Accuracy: _____ 82 A

Date meas: 372 Yield: _____ gpm 30 Method determined _____ 81

Drawdown: _____ ft _____ Accuracy: _____ Pumping period _____ hrs _____ 86 88

QUALITY OF WATER DATA: Iron _____ ppm _____ Sulfate _____ ppm _____ Chloride _____ ppm _____ Hard. _____ ppm _____ 73

Sp. Conduct _____ K x 10⁶ _____ Temp. _____ °F 165 Date sampled _____ 472 73 74 75 76 77 78 79 80

Taste, color, etc. _____

Well No.

Well No.

(2515)

Latitude-longitude N S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: Section: 03

Drainage Basin: D Subbasin: 180

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system series K3 aquifer, formation, group EU

Lithology: 6S Origin: 6 Aquifer Thickness: ft

Length of well open to: 39 ft Depth to top of: 10 ft 190

MINOR AQUIFER: system series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened: 190-200 008 X 2"

Depth to consolidated rock: ft Source of data:


Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft²; Spec cap: gpm/ft; Number of geologic cards:

*5" water on hole 25
2" pipe screened to 4"*



937-142

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P.O. Box 10631
Jackson, Mississippi 39289-0631
WATER WELL PLUGGING
DECOMMISSIONING


COUNTY WELL LOCATED, Tishomingo	
WELL NUMBER 25B	PROBED
DATE WELL PLUGGED	

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER			
J. C. Grimes			
Rt. 2, Box 45H			
Tishomingo, MS 38873			
WELL LOCATION	SEC	TOWNSHIP	RANGE
SUNWS20T04R10E			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE Home, Irrigation, Municipal, Industrial, Fish Pond, etc Groundwater Study			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth:	Casing Diameter (In.)	Casing Length (Ft.)
200'	4.0	
Type of Casing	Flow Depth	Depth to Static Water Level
PVC		
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING ETC.)
Well left open at request of landowner

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS	
	2/6/91
SIGNATURE	DATE


R. 9 E. R. 10 E. 17'30"

670 000 FEET

385 88° 15' 34° 45'

PHILIP
WOOD

38



1.3 MI. TO MISSISSIPPI 25

1840 000 FEET

42' 30"

see
see

DIVIDE