

Plugged

Recorded by MAC

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. G-93

Date 7-12-79

E-Log No. \_\_\_\_\_

TRANSMITTED FOR ADJ. Agency TISH

Site ID 344347088151702 R=0\* T=A\* 2=W\*

Data reliab. 3-U\* Report. agency 4-USGS\* Dist. 6=28\* 7=28\* Co. 8=141\*

Lat. \_\_\_\_\_ Long. 9=344347\* 10=0881517\* Well No. 12=15093\*

Location SE 1/4 SW 1/4 N.W. SW 1/4 T. 14 S. R. 10 E. Alt. 16=560.\*

Hyd. Unit (OWDC) 20=06030000\* Date 21=0211611979\*

Well use 23=0\* Water Use 24=U\* Hole depth 27=67.\* Well depth 28=67.\*

WL 30=111.\* Date 31=0711611980\* Source 33=S\*

Status 273=\* Project No. 5=\*

R=158\* T=A\* Date 159# 0212811979\* Owner No. \_\_\_\_\_

Owner 16# USCE ME 2-2\*

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

R=58\* T=A\* 59# 1\* Date 60=0212811979\* Remarks \_\_\_\_\_

Drlg. 63=\* Name USCE Method 65=H\* Finish 66=S\*

R=76\* T=A\* 59# 1\*

Top csgn. 77# 0.\* Bot. csgn. 78=65.\* Diam. 79# 1.5\*

R=76\* T=A\* 59# 1\*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

R=82\* T=A\* 59# 1\* Top 83# 65.\* Bottom 84=67.\*

Type 85=S\* Diam. 87=1.5\* Size 88=

R=82\* T=A\* 59# 1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

YIELD R= T=A\* 147# 1\* Q 150= Q/S 272=

134 flows 146 pumped

GEN. SITE DATA

OWNER

FIELD OW

CONSTR.

CASING

OPENINGS

YIELD

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*

Date 38= / 00 / 00 \* H.P. 46= \*

LIFT

R=198\* T= A \* Log 199# D \* Top 200= \* Bot 201= 6.7 \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

LOGS

R=114\* T= A \* Year 115# \* Type 120= \*

AVUL.

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= Z I I E U T W \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit

AQUIFER

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

HYDRAULICS

R=121\* T= A \* Yr Begin 122# 9 7 9 \* Network 258= \*

Water Level Data Collection (1)  
6.65 N OF TISHONINGO

MP= 2.45

2/21/85 = 8.80  
5/23/85 = 9.15  
8/29/85 = 9.52



10-11-51 VILLE (K-SE)  
3353 N SE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

# TISHOMINGO QUAD

