

Plugged

Recorded by MAC  
Date 7-12-79

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

TRANSMITTED FOR ADP

Well No. 6-77  
E-Log No. \_\_\_\_\_  
County TISH

GEN. SITE DATA

Site ID 344131088132001 R=0\* T=A\* 2=W\*

Data reliab. 3-U\* Report. agency 4-USGS\* Dist. 6=28\* 7=28\* Co. 8=141\*

Lat. \_\_\_\_\_ Long. 9=344131\* 10=0881320\* Well No. 12=5099\*

Location 13=SWNW S 35 T 07 S R 10 E\* Alt. 16=560.\*

Hyd. Unit (OWDC) 20=00030000\* Date 21=0312711979\*

Well use 23=0\* Water Use 24=U\* Hole depth 27=344.\* Well depth 28=344.\*

WL 30=45.\* Date 31=0711411980\* Source 33=A\*

Status 273=\* Project No. 5=03100\*

OWNER

R=158\* T=A\* Date 159#0312711979\* Owner No. \_\_\_\_\_

Owner 161#USCE SEI-1\*

FIELD ON

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

CONSTR.

R=58\* T=A\* 59#1\* Date 60=0312711979\* Remarks \_\_\_\_\_

Drig. 63= Name USCE Method 65=H\* Finish 66=S\*

CASING

R=76\* T=A\* 59#1\* PVC

Top csgn. 77#0.\* Bot. csgn. 78=330.\* Diam. 79#1.5\*

R=76\* T=A\* 59#1\*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

OPENINGS

R=82\* T=A\* 59#1\* Top 83#330.\* Bottom 84=340.\*

Type 85=5\* Diam. 87=1.5\* Size 88=

R=82\* T=A\* 59#1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

YIELD

R= \_\_\_\_\_ T=A\* 147#1\* Q 150= Q/S 272=

134 flows 146 pumped

LIFT

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*  
 Date 38= / / H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# D \* Top 200= 0. \* Bot 201= 3.44. \*  
 R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*  
 R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* Type 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*  
 Unit ID 93= 3.30.M.S.S.P. \* Name of Unit \_\_\_\_\_  
 R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*  
 Unit ID 93= \* Name of Unit \_\_\_\_\_

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*  
 R=105\* T= A \* 99# 1 \* Test No. 106# \*  
 107= \* Transmissivity (gal/d)/ft \_\_\_\_\_  
 108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup> \_\_\_\_\_  
 110= \* Storage coeff. Boundaries \_\_\_\_\_

R=121\* T= A \* Yr Begin 122# 1979 \* Network 258= \*

Water Level Data Collection (1)  
 MP = 2.30

3.85 mi. N OF TISHOMINGO

2/21/85 = 52.13  
 5/23/85 = 51.72  
 8/21/85 = 51.37

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING

COUNTY WELL LOCATED <i>Tishomingo</i>		PERMIT NUMBER
WELL NUMBER <i>SE1-1</i>	CODED	NAME OF DRILLING FIRM
<i>699</i>		
DATE WELL PLUGGED <i>9/26/90</i>		

NAME & MAILING ADDRESS OF LANDOWNER <i>U.S. Army Engr. Dist., Mobile P.O. Box 2288 Mobile, AL 36628</i>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<i>SWNW 535 T04 SR10E</i>			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <i>Groundwater Study</i>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth <i>344'</i>	Casing Diameter (In.) <i>1.5"</i>	Casing Length (Ft.)
Type of Casing <i>PVC</i>	Hole Depth	Depth to Static Water Level
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING, ETC.)

*4.2 cf grout = 4 bags cement used  
to grout well. Pumped grout through 3/4"  
plastic hose to bottom of hole. Hose lifted  
as grout filled hole. Cut off PVC and  
steel casing at ground level. Left casing and  
well screen in hole.*

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

*Ruby S. Clements*  
SIGNATURE

*9/26/90*  
DATE

# TISHOMINGO QUAD

