

Plugged

Tishomingo Quad

Recorded by MAC
Date 7-12-79

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

TRANSMITTED FOR AER

Well No. 2-100
E-Log No. _____
County FISH

Site ID 34413108132002 R=0* T=A* 2=W*

Data reliab. 3-U* Report. agency 4-USGS* Dist. 6=28* 7=28* Co. 8=141*

Lat. _____ Long. 9=344131* 10=081320* Well No. 12=5100*

Location 13=SWNW S 35 T 045 R 10 E* Alt. 16=560.*

Hyd. Unit (OWDC) 20=06030006* Date 21=0610811979*

Well use 23=0* Water Use 24=U* Hole depth 27=218.* Well depth 28=218.*

WL 30=58.* Date 31=0711411980* Source 33=A*

Status 273=* Project No. 5=

R=158* T=A* Date 159#0610811979* Owner No. _____

Owner 16#USCE SE1-2

R=192* T=A* Date 193# Temp. 196#00010* 197=

R=192* T=A* Date 193# Cond. 196#00095* 197=

R=192* T=A* Date 193# pH 196#00400* 197=

R=58* T=A* 59#1* Date 60=0610911979* Remarks _____

Drlg. 63= Name USCE Method 65=H* Finish 66=S*

R=76* T=A* 59#1* P.V.C.

Top csgn. 77#0* Bot. csgn. 78=208.* Diam. 79#1.5*

R=76* T=A* 59#1*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

R=82* T=A* 59#1* Top 83#208.* Bottom 84=218.*

Type 85=S* Diam. 87=1.5* Size 88=.008*

R=82* T=A* 59#1* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

R= T=A* 147#1* Q 150= Q/S 272=

134 flows 146 pumped

GEN. SITE DATA

OWNER

FIELD QW

CONSTR.

CASING

OPENINGS

YIELD

LIFT

R-42* T= A * Lift type 43# * Intake 44= * Power type 45= *
 Date 38= / / H.P. 46= *

LOGS

R-198* T= A * Log 199# D * Top 200= 0. * Bot 201= 218. *
 R-198* T= A * Log 199# * Top 200= * Bot 201= *
 R-189* T= A * E Log No. 190# * 191= M I S S D I S T *

ANAL.

R-114* T= A * Year 115# * Type 120= *

AQUIFERS

R-90* T= A * 256# 1 * Top 91= * Bot 92= *
 Unit ID 93= 211 GORD. * Name of Unit
 R-90* T= A * 256# 1 * Top 91= * Bot 92= *
 Unit ID 93= * Name of Unit

HYDRAULICS

R-98* T= A * 99# 1 * Unit tested 100= * 103= *
 R-105* T= A * 99# 1 * Test No. 106# *
 107= * Transmissivity (gal/d)/ft
 108= * Hydraul. cond. (gal/d)/ft²
 110= * Storage coeff. Boundaries

R-121* T= A * Yr Begin 122# 1979 * Network 258= *

Water Level Data Collection (1)

3.8 mi N OF TISHOMINGO

MP = 2.70

2/21/85 = 55.76
 5/23/85 = 55.75
 8/21/85 = 56.05

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P.O. Box 10631
Jackson, Mississippi 39289-0631

WATER WELL PLUGGING
DECOMMISSIONING

COUNTY WELL LOCATED <i>Tishomingo</i>	
WELL NUMBER <i>SE1-2</i>	CODED
<i>G100</i>	
DATE WELL PLUGGED <i>9/26/90</i>	

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER <i>U.S. Army Engr. Dist., Mobile</i>			
<i>P.O. Box 2288</i>			
<i>Mobile, AL 36628</i>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<i>SWNW 535 T04SR10E</i>			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc <i>Groundwater Study</i>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth <i>218'</i>	Casing Diameter (In.) <i>1.5"</i>	Casing Length (Ft.)
Type of Casing <i>PVC</i>	Hole Depth	Depth to Static Water Level
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.
MATERIAL USED IN PLUGGING, ETC.)

2.7 cf grout = 2 bags cement used to grout hole. Pumped grout through 3/4" plastic hose to bottom. Lifted hose as grout filled hole. cut off PVC and steel outer casing at ground level. Left PVC casing and well screen in hole.

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

Ruby S. Clements
SIGNATURE

9/26/90
DATE

ITY
1631
NG
NG

11
rel

2

TISHOMINGO QUAD

