

plugged

Tishomingo Quad

Recorded by MAC  
Date 7-22-79

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. G-105  
E-Log No. \_\_\_\_\_  
County TISH

TRANSMITTED FOR ADP

Site ID 344207033122003 R=0\* T=A\* 2=W\*

GEN. SITE DATA

Data reliab. 3=U Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=141\*  
Lat. \_\_\_\_\_  
Long. 9=344207\* 10=0881220\* Well No. 12=105\*  
Location 13=N.W.S.W.S. 2.5 T 0.4 S R 1.0 E\* Alt. 16=580.\*  
Hyd. Unit (OWDC) 20=00030000\* Date 21=0512211979\*  
Well use 23=0\* Water Use 24=U\* Hole depth 27=137.\* Well depth 28=137.\*  
WL 30=69.\* Date 31=0711611980\* Source 33=A\*  
Status 273=\* Project No. 5=03100\*

OWNER

R=158\* T=A\* Date 159#0512211979\* Owner No. \_\_\_\_\_  
Owner 161#USCE SE 2-3\*

FIELD QW

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=\_\_\_\_\_  
R=192\* T=A\* Date 193# Cond. 196#00095\* 197=\_\_\_\_\_  
R=192\* T=A\* Date 193# pH 196#00400\* 197=\_\_\_\_\_

CONSTR.

R=58\* T=A\* 59#1\* Date 60=0512211979\* Remarks \_\_\_\_\_  
Drlg. 63= Name USCE Method 65=H\* Finish 66=S\*

CASING

R=76\* T=A\* 59#1\* PVC  
Top csgn. 77#0.\* Bot. csgn. 78=134.\* Diam. 79#1.5\*  
R=76\* T=A\* 59#1\*  
Top csgn. 77# Bot. csgn. 78= Diam. 79#

OPENINGS

R=82\* T=A\* 59#1\* Top 83#134.\* Bottom 84=136.\*  
Type 85=S\* Diam. 87=1.5\* Size 88=  
R=82\* T=A\* 59#1\* Top 83# Bottom 84=  
Type 85= Diam. 87= Size 88=

YIELD

R= \_\_\_\_\_ T=A\* 147#1\* Q 150= Q/S 272=  
134 flows 146 pumped

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*

LIFT

Date 38= / / H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# D \* Top 200= 0. \* Bot 201= 1.37. \*  
R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*  
R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* Type 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*  
Unit ID 93= 211 M.C.S.N. \* Name of Unit  
R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*  
Unit ID 93= \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*  
R=105\* T= A \* 99# 1 \* Test No. 106# \*  
107= \* Transmissivity (gal/d)/ft  
108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>  
110= \* Storage coeff. Boundaries

R=121\* T= A \* Yr Begin 122# 1979 \* Network 258= \*

Water Level Data Collection (1)  
MP= 2.80

4.8 mi N of TISHOMINGO.

8/21/85 = 66.71  
5/23/85 = 66.49  
2/21/85 = 66.82

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING

COUNTY WELL LOCATED <b>Tishomingo</b>		PERMIT NUMBER
WELL NUMBER <b>SE 2-3</b>	CODED	NAME OF DRILLING FIRM
<b>G105</b>		
DATE WELL PLUGGED <b>25 Sep 90</b>		

NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. Army Engr. Dist., Mobile P.O. Box 2288 Mobile, AL 36628</b>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<b>NWSW 525 T04 SR10E</b>			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc <b>Groundwater Study</b>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth <b>137'</b>	Casing Diameter (in.) <b>1.5"</b>	Casing Length (ft.)
Type of Casing <b>PVC</b>	Hole Depth	Depth to Static Water Level
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING, ETC.)

**1.7 cf grout - 2 bags cement used to grout well - Pumped grout through 3/4" plastic pipe to bottom of hole. Removed hose as grout fill hole. cut off PVC + steel casing at ground level. left casing and screen in hole.**

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

**Ruby S. Clements**  
SIGNATURE

**25 Sep 90**  
DATE

631  
NG  
NG

# TISHOMINGO QUAD

