

Well plugged!

Paden

32A

FORM 9-1642 (1-68)

Well No. J20

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

11/8/52  
91.22  
S-3-87  
85.46

Record by JVB Source of data Recon Date 4/27/72 Map 10000

State 28 County (or town) 71

Latitude: 34<sup>deg</sup> 40<sup>min</sup> 41<sup>sec</sup> N Longitude: 088<sup>deg</sup> 17<sup>min</sup> 26<sup>sec</sup> Sequential number: 2

Lat-long accuracy: 2<sup>deg</sup> 5<sup>min</sup> 10<sup>sec</sup> Sec 6 SE NW SE NW

Local well number: J020B30605510E Other number: B & M

Local use: 032 Owner or name: USCEN 32A Address: \_\_\_\_\_

Ownership: County, Fed (F) City, Corp or Co, Private, State Agency, Water Dist F

Use of water: (A) Air cond, Bottling, (B) Comm, (C) Dewater, (D) Power, (E) Fire, (F) Dom, (G) Irr, (H) Med, (I) Ind, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other U

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed Φ

DATA AVAILABLE: Well data 70 Freq. W/L meas: M Field aquifer char. 71

Hyd. lab. data: \_\_\_\_\_ 72

Qual. water data; type: \_\_\_\_\_ 73

Freq. sampling: \_\_\_\_\_ Pumpage inventory: 74 yes 75 no 76 period: \_\_\_\_\_ 77

Aperture cards: \_\_\_\_\_ yes 78

Log data: \_\_\_\_\_ 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 240 ft Meas. rept 24 1

Depth cased: (first perf.) 230 ft Casing type: plastic Diam. 4.2 in 25 4

Finish: porous concrete, gravel w. (perfor.), (screen), gravel w. (screen), gallery, end, horiz. open perf., screen, sd. pt., shored, open hole, other 26 P

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot, (E) jetted, (F) air percussion, (G) reverse, (H) trenching, (I) driven, (J) drive wash, (K) other 27 H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft 28 29

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 30 Deep 31 Shallow 32

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 33 Trans. or meter no. 34

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: OK (11/89) 530 Accuracy: (source) 35 5

Water Level 67.40 ft above MP; Ft below LSD 67 Accuracy: 36 A

Date meas: 372 Yield: \_\_\_\_\_ gpm 37 10 Method determined 38 39

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs 40 41

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled 42 43 44 45 46 47 48 49 50

Taste, color, etc. \_\_\_\_\_

WELL NO.

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D Subbasin: 138

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) valley flat 27 V

MAJOR AQUIFER: system \_\_\_\_\_ series 123 aquifer, formation, group GΦ

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 36 Depth to top of: \_\_\_\_\_ ft 208

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft<sup>2</sup> \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
**Bureau of Land and Water Resources**

P.O. Box 10631  
 Jackson, Mississippi 39289-0631  
**WATER WELL PLUGGING  
 DECOMMISSIONING**

COUNTY WELL LOCATED <i>Tishomingo</i>	
WELL NUMBER <i>32A</i>	CODED
DATE WELL PLUGGED <i>9-27-90</i>	

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER <i>U.S. Army Engr. Dist., Mobile</i>			
<i>P.O. Box 2288</i>			
<i>Mobile, AL 36628</i>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<i>NW NW 506 T05 SR 10E</i>			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK <i>Located on west side of Co Rd 131</i>			
WELL PURPOSE. Home, Irrigation, Municipal, Industrial, Fish Pond, etc <i>Groundwater Study</i>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
<b>WELL DATA</b>		
Well Depth <i>240'</i>	Casing Diameter (in.) <i>4"</i>	Casing Length (ft.)
Type of Casing <i>PVC</i>	Hole Depth	Depth to Static Water Level <i>90'</i>
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.)
<i>Portland Cement - Mix 1 bag cement to 5.5 gal. water</i>
<i>Pumped 20 bags - 20.9 c.f. grout mixture through</i>
<i>3/4" plastic hose to fill well from bottom - up</i>
<i>to surface. Left riser pipe and well screen in</i>
<i>hole.</i>

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS	
SIGNATURE <i>Ruby S. Clements</i>	DATE <i>9-27-90</i>

# PADEN QUAD

