

Plugged - well was flowing

FORM 9-1642 (1-68)

Well No. J22 Also J76

WELL SCHEDULE

E log # 62

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B. E. W... Source of data ... Date 11-3-72 Map Paden

State ... County ... (or town) ...

Latitude: 34° 39' 38" N Longitude: 088° 16' 27" W Sequential number: 1

Local well number: J022AC0805S10E Other number: ...

Local use: ... Owner or name: USCE 5-DP-159 Address: ...

Ownership: (C) County, (F) Fed Govt, (M) City, Corp or Co, (N) Private, (S) State Agency, (W) Water Dist F

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Irr, (I) Med, (M) Ind, (P) P S, (R) Rec, (S) Stock, (T) Inact, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other U

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed Z

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory:

Aperture cards:

Log data: E-log

WELL-DESCRIPTION CARD

Depth well: Meas. rept

Depth cased; (first perf.) Casing type: Diam.

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other

Method: (A) Drilled, (B) air bored, (C) cable, (D) dur, (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven, (W) drive wash, (Z) other

Date Drilled: 1972 Pump intake setting:

Driller: Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other Deep Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) LP, (trans) trans, or meter no.

Descr. MP OK (11/89) above ft below LSD, Alt. MP

Alt. LSD: 435.98 Accuracy:

Water Level: above ft below MP; above ft below LSD Accuracy:

Date meas: Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period: hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10 Temp. °F Date sampled

Taste, color, etc.

WELL NO.

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: _____ Section: 03
 Drainage Basin: D 138 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) offshore, pediment, hillside, terrace, undulating, valley flat
 (Q) (P) (S) (T) (U) (V)

MAJOR AQUIFER: system _____ series _____ aquifer, formation, group _____
 Aquifer Thickness: _____ ft



Lithology: _____ Origin: _____
 Length of well open to: _____ ft Depth to top of: _____ ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____
 Aquifer Thickness: _____ ft

Lithology: _____ Origin: _____
 Length of well open to: _____ ft Depth to top of: _____ ft


Intervals Screened: _____
 Depth to consolidated rock: _____ ft Source of data: _____
 Depth to basement: _____ ft Source of data: _____
 Surficial material: _____ Infiltration characteristics: _____
 Coefficient Trans: _____ gpd/ft Coefficient Storage: _____
 Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____

12-204 + 00
 390 feet left of center line
 300' N of northern most house
 in Paden and at point of
 hill on west side of Valley
 hill



Well No. _____

PADEN QUAD



TISHOMINGO 1.7 MI.
BELMONT 11 MI.

17'30"
R. 9 E. R. 10 E.

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1954
M. R. 3765


34° 37' 30"
88° 15'

(TVA 15-NE)

ROAD CLASSIFICATION

In developed areas, only through roads are classified

HARD SURFACE ALL WEATHER ROADS		DRY WEATHER ROADS	
Heavy-duty _____	1 LANE 16 LANE	Improved dirt _____	_____
Medium-duty _____	1 LANE 16 LANE	Unimproved dirt =====	_____



(BELMONT 26-)