

0/7- WFO

Recorded by 2/7  
Date 2-18-82

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. J-72  
E-Log No. \_\_\_\_\_  
County Tishoming

TRANSMITTED FOR ADP

Site ID 3.4.3.8.5.5.0.8.8.1.5.5.3.8.1 R=0\* T=A\* 2=W\*

GEN. SITE DATA

Data reliab. 3=C\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=41\*

Lat. \_\_\_\_\_ Long. / 9=3.4.3.8.5.5\* 10=0.8.8.1.5.5.3\* Well No. 12=J072

Location 13=SENE S 17 T 05 S R 10 E\* Alt. 16=440.\*

Hyd. Unit (OWDC) 20= Date 21=02/14/1980\*

Well use 23= Water Use 24=U\* Hole depth 27= Well depth 28=27\*

WL 30=11\* Date 31=02/25/1980\* Source 33=

Status 273= Project No. 5=

OWNER

R=158\* T=A\* Date 159=02/14/1980\* Owner No. USCE 1704B

Owner 161=USCE 1704B

FIELD QW

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

CONSTR.

R=58\* T=A\* 59# 1\* Date 60=02/14/1980\* Remarks \_\_\_\_\_

Drlg. 63= Name \_\_\_\_\_ Method 65=H\* Finish 66=S\*

CASING

R=76\* T=A\* 59# 1\* 4" PCU

Top csgn. 77# 0.\* Bot. csgn. 78=5.\* Diam. 79# 4.\*

R=76\* T=A\* 59# 1\*

Top csgn. 77# Bot. csgn. 78= Diam. 79# 4.\*

OPENINGS

R=82\* T=A\* 59# 1\* Top 83# 5.\* Bottom 84=21.\*

Type 85=S\* Diam. 87=4.\* Size 88=

R=82\* T=A\* 59# 1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

YIELD

R= \_\_\_\_\_ T=A\* 147# 1\* Q 150= Q/S 272=

134 flows 146 pumped

LIFT

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*

Date 38= / / \* H.P. 46= \* \*

LOGS

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* Type 120= \*

AQUIFERS

R=90\* T= A \* 256# .1 \* Top 91= \* Bot 92= \*

Unit ID 93= 211EUTW \* Name of Unit

R=90\* T= A \* 256# .1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# .1 \* Unit tested 100= 103= \*

R=105\* T= A \* 99# .1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft


108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

R=121\* T= A \* Yr Begin 122# 1980 \* Network 258= \*

Water Level Data Collection (1)

# PADEN QUAD



TISHOMINGO 1.7 MI.  
BELMONT 11 MI.

17°30"  
R. 9 E. R. 10 E.

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1954  
M R-3745

34°37'30"  
88°15'

(TVA 15-NE)

## ROAD CLASSIFICATION

In developed areas, only through roads are classified

HARD-SURFACE ALL WEATHER ROADS		DRY WEATHER ROADS	
Heavy-duty	1 LANE 16 LANE	Improved dirt	=====
Medium-duty	4 LANE 16 LANE	Unimproved dirt	=====



(BELMONT 26-)