

9-185
(October 1950)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

SESESW
16
OL NENE NW
21

WELL SCHEDULE

Date March 8, 1957 Field No. _____
Record by SAB Office No. E-1
Source of data Driller

1. Location: State MISS County JUNION

Map _____

SE 1/4 1/4 sec. T 6 NR 3 B

2. Owner: Tenn. Gas. Trans. Co. Address Near Albany Miss

Tenant _____ Address _____

Driller Lajoc - Central Address _____

3. Topography _____

4. Elevation 399.7 ft. above mal (reported) below

5. Type: Dug drilled driven, bored, jetted 1/1956

6. Depth: Rept. 1176 ft. Meas. _____ ft.

7. Casing: Diam. 12 in., to 8 in., Type _____

Depth _____ ft., Finish _____

8. Chief Aquifer _____ From 730 ft. to 781 ft.

Others _____

9. Water level 83 ft. rept. 1 1956 above 1 sd below

_____ which is _____ ft. above below surface

10. Pump: Type _____ Capacity _____ G. M.

Power: Kind _____ Horsepower _____

11. Yield: Flow _____ G. M., Pump 350 G. M., Meas., Rept. Est. _____

Drawdown _____ ft. after _____ hours pumping _____ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs. _____

Adequacy, permanence _____

13. Quality _____ Temp _____ °F.

Taste, odor, color _____ Sample Yes No

Unfit for _____

14. Remarks: (Log, Analyses, etc.) File. log run to 1176

probably another well here.


OWNER

Tennessee Gas Trans. 19310

New Albany, Mississippi

June 21

YEAR 1956



| TOTAL DEPTH - EACH FORMATION | | |
|------------------------------|-----|---------------------------|
| 33 | 33 | Red Clay |
| 53 | 20 | Soft Rock |
| 92 | 39 | Clay |
| 96 | 4 | Rock |
| 107 | 11 | Clay |
| 125 | 18 | Lime Rock Soft Str. Sks. |
| 148 | 23 | Soft Lime Rock Sks. Sand |
| 165 | 17 | Lime Rock Soft Sks. |
| 183 | 18 | Shale Sks. Rock |
| 192 | 9 | Rock Sks. Shale |
| 231 | 39 | Shale |
| 233 | 2 | Rock |
| 247 | 14 | Shale |
| 258 | 11 | Hard Packed Sand (F. ...) |
| 285 | 27 | Shale |
| 287 | 2 | Rock |
| 300 | 13 | Shale Sks. Rock |
| 332 | 32 | Shale Sks. Lime Rock |
| 338 | 6 | Shale |
| 363 | 25 | Shale Sks. Lime Rock |
| 410 | 47 | Shale |
| 430 | 20 | Shale Sks. Lime Rock |
| 469 | 29 | Clay Sks. Lime Rock |
| 528 | 57 | Shale Sks. Rock |
| 695 | 169 | Hard Shale Sks. Rock |
| 705 | 10 | Hard Packed Sand |

Continued -

| DIMENSIONS | | |
|------------|------|------------|
| A = | 268' | E = 5' |
| B = | 817' | F = 40' |
| C = | 761' | G = 6' |
| D = | 61' | H = 2-1/2" |


WELL NO. 1
 LAYNE CENTRAL COMPANY
 MEMPHIS, TENN. JACKSON, MISSISSIPPI
 MONTGOMERY, ALA.


Back Pressure Valve REVISION:

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): Hardin/Phillips DATE: 6/9/99
UNIT DEQ #: _____ FILE #: B060920B
HEALTH DEPT. #: None ELEV.: 415
USGS #: C1 OLWR #: GW00675
OWNER: Tenn Gas Pipeline QUAD: Myrtle
LOCATION: NW/NWS 29 T6S R 3E COUNTY: Union
LOCATION DESCRIPTION: on south side of plant next to fence, Compressor Station 851 on CR 81
CASING DIAM: _____ PUMP TYPE AND SIZE: Turbine; 30 HP
GPS FIELD LOCATION: LAT: 34° 32' 20.0" LONG: 89° 00' 50.8"
GPS CORRECTED: LAT: 34.538077 LONG: 89.014163
REMARKS: Unused??
P283





New Albany Union County Airport

Behlehem Ch

McAllister Cem

Union Grove Ch

Compressor Station
G.W. 6-15
C.L.

Pumpkin Center

PIPELINE

11-7-64