

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

HYDROLOGIC CARD

MASTER CARD

Record by B.D. Source of data Bow Date 1-71 Map 7-4

State 28 County Waltham

Latitude: 31 17 29 N Longitude: 090 01 13 W Sequential number: 7

Lat-long accuracy: 3 4 100 28 NE NE

Local well number: 4056AA2804N10E Other well number: B & M FOLAM

Local use: 305 Owner or name: BEATRICE LEWIS Address: Hyattsville, MD

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Insite, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas. Field-aquifer char.

Hyd. Lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: period:

Aperture cards:

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 90 ft Meas. rept. 3

Depth cased (first perf.): 84 ft Casing type: PR; Diam. 4 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, open perf., screen, sd. pt., shored, open hole, other S

Method: (A) air bored, (B) cable, (C) dug rot., (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other H

Date Drilled: 9-70 Pump intake setting: 36 ft

Driller: S&P

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other S; Deep Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, gas, wind, H.P., LP S; Trans. or meter no. 5

Descrip. MP 7 above ft below LSD, Alt. MP 7

Alt. LSD: 70 ft above MP; 70 ft below LSD Accuracy: D

Water Level: 70 ft above MP; 70 ft below LSD Accuracy: D

Date meas: D-70 Yield: 8 gpm Method determined 61

Drawdown: 62 ft Accuracy: 65 Pumping period: 66 hrs

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72 ppm

Sp. Conduct 73 K x 10⁶ Temp. 74 °F Date sampled 77

Taste, color, etc. 78

PUNCHED

Well No.

A56

