

PUNCHED  
APR 23 1975

FORM 9-1642  
(1-68)

Well No. E12

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data Bowc Date 6-72 Map \_\_\_\_\_

State 28 County (or town) Warrien 75

Latitude: 322628<sup>N</sup> Longitude: 0905214 Sequential number: 1

Lat-long accuracy: 5 17' 30" Sec 1

Local well number: E0720117N03W Other number: \_\_\_\_\_

Local use: 150 Owner or name: \_\_\_\_\_

Owner or name: LOMBARD BURNS Address: Vicksburg

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instic, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd Tab. data: \_\_\_\_\_

Quality water data, type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME-AS-ON-MASTER CARD Depth well: 94 Meas. rept accuracy 3

Depth cased (first perf.): 84 Casing type: Steel Diam. in 4

Finish: porous gravel w. gravel w. horiz. open perf., screen, sd. pt., shored, open concrete, (perf.), (screen), gallery, end, other 3

Method Drilled: air bored, cable, dug, hyd jetted, air reverse, air percussion, rotary, driven, drive wash, other H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft

Driller: Burd Cresswell address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other S Deep  Shallow

Power (type): diesel, nat, gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft below MP; Ft below LSD 19 Accuracy: \_\_\_\_\_

Date meas: 472 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 <sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. E12

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD**

Physiographic Province: \_\_\_\_\_

**03** Section: \_\_\_\_\_

**E**

Drainage Basin: \_\_\_\_\_

**15J** Subbasin: \_\_\_\_\_

**26**

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L)

(O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system

series

**QG**

aquifer, formation, group

**MA**

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

**25** ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

**19**

MINOR AQUIFER:

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

(A)

Intervals Screened:

**2" SS**

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_


gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

**E12**