

WRD Exp. (GW)  
April 1966

Well No. L8

JUN 19 1975

WELL SCHEDULE

Elog# ATTACHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by WR Source of data MSGs Date 6/69 Map \_\_\_\_\_

State 28 County (or town) Warren 75

Latitude: 32<sup>deg</sup> 20<sup>min</sup> 30<sup>sec</sup> N Longitude: 09<sup>deg</sup> 04<sup>min</sup> 43<sup>sec</sup> W Sequential number: 7

Lat-long accuracy: 2<sup>20</sup> T. 16<sup>0</sup> S, R 58<sup>0</sup> Sec 30, NW 1, NE 1, NE 1

Local well number: 1008AA3016N05E Other number: \_\_\_\_\_ B & M

Local use: 199 Owner or name: \_\_\_\_\_

Owner or name: MK BEULOW Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock; (T) Instit; (U) Unused; (V) Repressure; (W) Recharge; (X) Desal-P S; (Y) Desal-other; (Z) Other \_\_\_\_\_ N

Use of well: (A) Anode; (D) Drain; (G) Seismic; (H) Heat Res; (I) Obs; (J) Oil-gas; (K) Recharge; (L) Test; (M) Unused; (N) Withdraw; (O) Waste; (P) Destroyed \_\_\_\_\_ N

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: Elog DE

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 1057 Meas. rept \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 1037 Casing type: Steel; Diam. 4x2 in \_\_\_\_\_ 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) horiz. gallery, (K) open end, (L) screen, (M) sd. pt., (N) shored, (O) open hole, (P) other \_\_\_\_\_ S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percuss, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) wash, (M) other \_\_\_\_\_ H

Date Drilled: 6/69 9/69 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: McConnell Drilling Co.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; (H) H.P. \_\_\_\_\_ 1 1/2 T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below \_\_\_\_\_ LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 290 Accuracy: (source) topo \_\_\_\_\_ 3

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below \_\_\_\_\_ LSD \_\_\_\_\_ 192 Accuracy: \_\_\_\_\_ D

Date meas: \_\_\_\_\_ 6/69 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 23 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. red water reported by driller

Well No.

L8

