

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION  
PUNCHED & VERIFIED BY  
NALLA COMPUTATION BRANCH

MASTER CARD

Record by G.F. Brown Source of data V.M. Allen Date 5-6-39 Map

State Mississippi County Washington (or town) 7.6

Latitude: 33 29 52 N Longitude: 09 10 63 5 Sequential number: 1

Lat-long accuracy: 3 19 9 19 Irregular (sw, nw, NW, 14) B & M

Local well number: A019 1919 N09W Other number: 9 MSGS Bull. 65

Local use: \_\_\_\_\_ Owner or name: V.M. Allen Address: Winterville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Desal-P S, (P) Desal-other, (Q) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.: original  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: none  Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 485 ft Meas. 485 accuracy 6

Depth cased: 475 ft Casing type: \_\_\_\_\_; Diam. 2 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., stream, sd. pe., shored, open hole, other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) wash, (K) other H

Date Drilled: Dec 1938 938 Pump intake setting: \_\_\_\_\_ ft

Driller: A. L. Journey Carrollton

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other P Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1/4 (Meyers) 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP Top of 1/4 bushing which is at LSD. Alt. MP 129.75

Alt. LSD: 129.75 130 Accuracy: (source) instrument 0

Water Level 15.94 ft above MP: 16 Accuracy: taped A

Date meas: May 6, 1939 539 Yield: 250 gpl-4 gpm 4 Method determined 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. reported soft; clear

Well No. A19

