

# WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED KL VERIFIED KW  
ROLLA COMPUTATION BRANCH

## MASTER CARD

Record by RET Source of data MBOWC Date 3-20-68 Map \_\_\_\_\_

State 28 County (or town) Washington 76

Latitude: 33<sup>deg</sup> 27<sup>min</sup> 48<sup>sec</sup> N Longitude: 09<sup>deg</sup> 10<sup>min</sup> 23<sup>sec</sup> W

Lat-long accuracy: 4<sup>sec</sup> T, 19 S, R 8 Sec 27, NW SW

Local well number: A044BC2719N08W Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: J C FARRISH Address: Airport Rd, Greenville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: D

## WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 471 Meas. 3

Depth cased: (first perf.) \_\_\_\_\_ ft 461 Casing Type: \_\_\_\_\_; Diam. 9,2 in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other 5

Method: (A) air, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) driven, (V) wash, (W) drive, (Z) other H

Date Drilled: 1-65 965 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Bailey Drlg Co Greenville

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) none, (N) piston, (P) rot, (R) submerg, (S) turb, (T) other, (Z) other  Deep  Shallow 40

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; LP H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3

Water Level: \_\_\_\_\_ ft above below MP; Ft below LSD 59 Accuracy: \_\_\_\_\_

Date meas: 1-28-65 165 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. 177

**ROGEOLOGIC CARD**

AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_  
 Drainage Basin: E 15J Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (V)  
 site: (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

System: \_\_\_\_\_ series: TE Cockfield aquifer, formation, group CØ

Origin: US 3 Aquifer Thickness:  $\geq 51$  ft

Length of well open to: \_\_\_\_\_ ft 10 Depth to top of: \_\_\_\_\_ ft 420

System: Quat Pleist Miss. River alluvium aquifer, formation, group

Origin: Fluvial Aquifer Thickness:  $110$  ft

Length of well open to:  $0$  ft 0 Depth to top of:  $30$  ft

Values: 461-471 ft 10' x 2"


to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. **A44**