

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by J.S. Source of data BOWC Date 11/69 Map \_\_\_\_\_

State 28 County (or town) Washington Sequential number: 76 1

Latitude: 33<sup>deg</sup> 26<sup>min</sup> 55<sup>sec</sup> N Longitude: 09<sup>deg</sup> 10<sup>min</sup> 30<sup>sec</sup> W

Lat-long accuracy: 3<sup>20</sup> T. S. R. W. Sec. k. k. k. B & M

Local well number: A067AC3219NO8W Other number: \_\_\_\_\_

Local use: 020 Owner or name: \_\_\_\_\_

Owner or name: W. E. SCOTT Address: Greenville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 503 Meas. rept accuracy 3

Depth cased: (first perf.) 483 ft Casing type: Steel; Diam. 4x2 in 4

Finish: (C) porous concrete, (F) gravel w. (H) gravel w. (I) horiz. (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) reverse percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) wash, (M) other H

Date Drilled: 9.6.9 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) nose, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 1 Trans. or meter no. 3

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 20 Accuracy: (source) 3

Water Level 75 ft above below MP; Ft below LSD 75 Accuracy: D

Date meas: 0.6.9 Yield: \_\_\_\_\_ gpm 20 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

1767

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

NAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 15L Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
site: (S) (P) (B) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

HYDROGEOLOGIC SYSTEM: TE aquifer, formation, group: CQ

Origin: US Aquifer Thickness: 43 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 460 ft

HYDROGEOLOGIC SYSTEM: \_\_\_\_\_ aquifer, formation, group: \_\_\_\_\_

Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Remarks: 2" SS


Thickness to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Thickness to cement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Specific yield: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Specific capacity: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. A 67