

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JAL Source of data Bore Date 4/6/70 Map \_\_\_\_\_

State 28 County (or town) 76

Latitude: 33 28 50 N Longitude: 09 10 34 5 Sequential number: 1

Lat-long accuracy: 4 19 8 19 SE SW

Local well number: 4069 1919 N08 W Other number: \_\_\_\_\_

Local use: 020 Owner or name: Golden Area Water

Owner or name: GREEN ACRES WA Address: Assoc 6 mi North of Greenville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 57.5 ft Meas. rept 3

Depth cased; (first perf.) 55.5 ft Casing type: Steel ; Diam. 4x3 in accuracy 4

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), gallery, end, horiz. open perf., screen, sd. pt., shoged, open hole, other 5

Method: (A) air bored, cable, dug, hyd jetted, rot., (C) \_\_\_\_\_, (D) \_\_\_\_\_, (H) \_\_\_\_\_, (J) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (T) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Z) \_\_\_\_\_ H

Date Drilled: 3/2/70 970 Pump intake setting: \_\_\_\_\_ ft 36 38

Driller: Bailey Ditz Co Greenville Miss

Lift (type): (A) air, bucket, cent, jet, (B) \_\_\_\_\_, (C) \_\_\_\_\_, (J) multiple, (L) multiple, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (Z) \_\_\_\_\_ T Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. U Trans. or meter no. \_\_\_\_\_

Descrip. MP 127 ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 130 Accuracy: (source) Topo 5' 3

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 59 Accuracy: \_\_\_\_\_ D

Date meas: 370 Yield: 65 gpm 65 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. A69

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: \_\_\_\_\_ 152 Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, 27

(C) (E) (F) (H) (K) (L) 28

offshore, pediment, hillside, terrace, undulating, valley flat: \_\_\_\_\_ 29

JOR \_\_\_\_\_ TE \_\_\_\_\_ CD \_\_\_\_\_

JIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

ology: \_\_\_\_\_ US Origin: \_\_\_\_\_ 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft 52.5

JOR \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

JIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

ology: \_\_\_\_\_ \_\_\_\_\_ Origin: \_\_\_\_\_ \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Official serial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Efficient storage: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Efficient \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

*Electric log made on this hole*

MSBWA  
6003401



Well No. 469

WELL NO. A-69

LOCATION Golden Acres W.A.

Alt. 130 MP: 1.2

WELL ON SOUTH SIDE OF TANK  
NEXT TO POOL

SAM FABICK - 335-3152

BILLY ROBINSON 332-8749

RUSTY SMITH

DATE	HOLD	CUT	MP	LSD	COND
DOH #					
760034-01					
3-70				59	
4-18-91	65.99	7.17	58.82 1.20	57.62	$\pi$ updated
10-25-91	65.00	2.00	63.00 1.20	61.80	$\pi$
3-11-92	65.00	7.53	57.47 1.20	56.27	$\pi$

5-12-92  
Jpy