

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J.M. Source of data BOWC Date 8-71 Map \_\_\_\_\_

State 28 County WASHINGTON (or town) 76

Latitude: 33 deg 27 min 02 sec N Longitude: 09 deg 10 min 24 sec W Sequential number: 7

Lat-long accuracy: 30 T 19 S, R 8 Sec 32, SW NE B & M

Local well number: A0750A3209N08W Other number: \_\_\_\_\_

Local use: 203 Owner or name: \_\_\_\_\_

Owner or name: M. B. CONE Address: GREENVILLE

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist A

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Reprssure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 430 ft Meas. rept 3

Depth cased; (first perf.) 420 ft Casing type: GALV Diam. 2 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, (H) open perf., (S) screen, sd. pt., (W) shored, open hole, (X) other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) air reverse, (J) percuss, rotary, (P) reverse trenching, (R) driven, (T) drive wash, (V) other H

Date Drilled: 9-7-11 Pump intake setting: \_\_\_\_\_ ft

Driller: LAMBERT DRILLING CO address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other  Deep  Shallow 40

Power (type): diesel, elec gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 125 Accuracy: (source) Topo 3

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 63 Accuracy: D

Date meas: 8-7-11 Yield: \_\_\_\_\_ gpm Method determined 15

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

PUNCHED

Well No.

A-75

HYDROGEOLOGIC CARD

NAME AS ON MASTER CARD

Physiographic Province:

0:3

Section:

E

Drainage Basin:

1:5:1

Subbasin:

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
of site: (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

WATER:

system

series

TE

aquifer, formation, group

CΦ

Geology:

US

Origin:

2

Aquifer Thickness:

180 ft

Length of well open to:

ft

10

Depth to top of:

ft

360

WATER:

system

series

aquifer, formation, group

Geology:

Origin:

Aquifer Thickness:

ft

Length of well open to:

ft

Depth to top of:

ft

Materials used:

2" S Steel

to consolidated rock:

ft

Source of data:

to cement:

ft

Source of data:

Special:

Infiltration characteristics:

Efficient:


gpd/ft

Coefficient Storage:

Efficient:

gpd/ft<sup>2</sup>; Spec cap:

gpm/ft; Number of geologic cards:



Well No.:

A-75