

SITE ID: 303200041024101

FORM 9-1642 (1-68)

Well No. A 87

**PUNCHED**

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

Record by JCM Source of data BOWC Date 9-72 Map \_\_\_\_\_

State 3 2:8 County (or town) Wash 7:6

Latitude: 30 33 00 N Longitude: 09 10 24 7 Sequential number: 1

Lat-long accuracy: 3 19 8 17 NW NE

Local well number: A087BA1719NO8W Other number: \_\_\_\_\_ B & M

Local use: 020 Owner or name: \_\_\_\_\_

Owner or name: MRS W EATHERLY Address: Greenwill

Ownership: County, Fed Gov't, City, Corp. or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Dil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  period: \_\_\_\_\_

Log data: \_\_\_\_\_ D

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 498 Meas. rept. accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 483 Casing type: Steel; Diam. 4x2 in 4

Finish: porous concrete, gravel w. concrete, (perf.), (screen), gravel w. (screen), horiz. gallery, end, (H) open perf., (S) screen, sd. pt., (W) shored, (X) open hole, (Z) other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) rot., (J) air percussion, (P) air reverse, (R) rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 9-7-2 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Bailey

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other S Deep  Shallow

Power (type): diesel, ~~exc~~, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD 61 Accuracy: \_\_\_\_\_

Date meas: 9-7-2 Yield: \_\_\_\_\_ gpm 20 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

A 87

1000009

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD  
Physiographic Province: 03 Section: \_\_\_\_\_  
Drainage Basin: E Subbasin: 15I

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
offshore, pediment, hillside, terrace, undulating, valley flat  
all site: (P) (S) (T) (U) (V) \_\_\_\_\_

AJOR QUIFER: system \_\_\_\_\_ series TE aquifer, formation, group Cφ

ithology: \_\_\_\_\_ Origin: S Aquifer Thickness: 2 118 ft

Length of well open to: \_\_\_\_\_ ft 15 Depth to top of: \_\_\_\_\_ ft 380

INOR QUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

ithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_


Intervals screened: 2" S.S.  
Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Official material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Efficient permeability: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Efficient permeability: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. 487

