

WELL SCHEDULE

14613

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by: H Source of data: Bowz Date: 4-18-73 Map \_\_\_\_\_

State: 643 28 County (or town): Washington 76

Latitude: 33 27 01 N Longitude: 09 02 60 W Sequential number: 1

Lat-long accuracy: 5 19 60 Sec 31, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ 3 N Island

Local well number: C029 3119 N06W Other number: \_\_\_\_\_

Local use: 193 Owner or name: \_\_\_\_\_

Owner or name: ALEX PARKS Address: Island

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ (P) \_\_\_\_\_

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_ (H) \_\_\_\_\_

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_ (W) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 65 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 60 Casing type: PVC ; Diam. \_\_\_\_\_ in \_\_\_\_\_ 2

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), horiz. gallery, end, other \_\_\_\_\_ 5

Method: (A) air bored, cable, dug, hyd jetted, rot., (B) air, (C) cable, (D) dug, (E) hyd jetted, (F) air, (G) reverse, (H) trenching, (I) driven, (J) drive wash, (K) percussion, (L) rotary, (M) other \_\_\_\_\_ H

Date Drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 3

Driller: Schultz Wely Co address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ 1 Trans. or meter no. \_\_\_\_\_ 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ below LSD \_\_\_\_\_ 17 Accuracy: \_\_\_\_\_ D

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 12 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 79

Taste, color, etc. \_\_\_\_\_

Well No.

0210119

Well No.

Latitude-longitude N  
S  
d m s d m s

**DROGEOLOGIC CARD**

NAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 15H Subbasin: \_\_\_\_\_

Character of site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

OR HYDROLOGIC: system \_\_\_\_\_ series 06 aquifer, formation, group MA

Hydrology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 47 ft

Length of well open to: \_\_\_\_\_ ft 5 Depth to top of: \_\_\_\_\_ ft 17

OR HYDROLOGIC: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Hydrology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Permeability: \_\_\_\_\_

Thickness to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Thickness to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Hydrological characteristics: \_\_\_\_\_

Efficiency: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Efficiency: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Section of formations encountered	from	to
<u>ly</u>	<u>0</u>	<u>17</u>
<u>ml</u>	<u>17</u>	<u>150</u>
<u>ly</u>	<u>150</u>	<u>282</u>
<u>ml</u>	<u>282</u>	<u>390</u>
<u>and shal</u>	<u>390</u>	<u>405</u>
<u>sh</u>	<u>405</u>	<u>505</u>



Well No.

