

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED

MASTER CARD


Record by JCM Source of data BOWC Date 11-71 Map \_\_\_\_\_  
 State 28 County (or town) Washington 76  
 Latitude: 333015N Longitude: 0904930 Sequential number: 1  
 Lat-long accuracy: 5 T 190 S, R 60 Sec 9 \_\_\_\_\_  
 Local well number: C026 0919N06W Other number: \_\_\_\_\_ B & M  
 Local use: 064 \_\_\_\_\_ Owner or name: \_\_\_\_\_  
 Owner or name: RAY F BECKHAM Address: Leland  
 Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist \_\_\_\_\_ P  
 Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instic, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other \_\_\_\_\_ I  
 Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W  
 DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_  Field aquifer char. \_\_\_\_\_  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ yes \_\_\_\_\_ Pumpage inventory: no, period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_  
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 108 Meas. \_\_\_\_\_ 24 3  
 Depth cased: \_\_\_\_\_ ft 58 Casing type: steel ; Diam. \_\_\_\_\_ in 16  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) horiz. (screen), (H) gal. end, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shosed, (N) open hole, (O) other \_\_\_\_\_ S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air perc., (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_ H  
 Date Drilled: 971 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Singer-Layne address \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_  
 Power (type): X nat, LP gas, gasoline, hand, gas, wind; H.P. 80  Trans. or meter no. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47 3  
 Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_ 52 D  
 Date meas: \_\_\_\_\_ 53 077 55 Yield: \_\_\_\_\_ gpm 2000 Method determined \_\_\_\_\_ 61  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ 73 Temp. \_\_\_\_\_ °F \_\_\_\_\_ 74 \_\_\_\_\_ 76 Date sampled \_\_\_\_\_ 77 \_\_\_\_\_ 79  
 Taste, color, etc. \_\_\_\_\_

Well No.

C 26



HYDROGEOLOGIC CARD

19 SAME AS ON MASTER CARD 20 03 Section: \_\_\_\_\_  
 Province: \_\_\_\_\_

21 E Drainage Basin: \_\_\_\_\_ 22 15H Subbasin: \_\_\_\_\_ 23

(D) (C) (E) (F) (H) (K) (L)  
 Topo of well site: depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 (O) (P) (S) (T) (U) (V)  
 offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ 28 OG \_\_\_\_\_ 29 M.A \_\_\_\_\_ 30  
 system series aquifer, formation, group

Lithology: \_\_\_\_\_ 32 R Origin: \_\_\_\_\_ 33 2 Aquifer Thickness: \_\_\_\_\_ 34 90 ft

Length of well open to: \_\_\_\_\_ 35 50 ft \_\_\_\_\_ 36 18 ft \_\_\_\_\_ 37  
 Depth to top of: \_\_\_\_\_ 38 \_\_\_\_\_ 39 \_\_\_\_\_ 40 \_\_\_\_\_ 41 \_\_\_\_\_ 42

MINOR AQUIFER: \_\_\_\_\_ 43 \_\_\_\_\_ 44 \_\_\_\_\_ 45 \_\_\_\_\_ 46 \_\_\_\_\_ 47  
 system series aquifer, formation, group

Lithology: \_\_\_\_\_ 48 \_\_\_\_\_ 49 Origin: \_\_\_\_\_ 50 \_\_\_\_\_ 51  
 Aquifer Thickness: \_\_\_\_\_ 52 ft

Length of well open to: \_\_\_\_\_ 53 \_\_\_\_\_ 54 \_\_\_\_\_ 55 \_\_\_\_\_ 56 \_\_\_\_\_ 57 \_\_\_\_\_ 58  
 Depth to top of: \_\_\_\_\_ 59 \_\_\_\_\_ 60 \_\_\_\_\_ 61 \_\_\_\_\_ 62

Intervals Screened: 16" ARMCO


Depth to consolidated rock: \_\_\_\_\_ 63 \_\_\_\_\_ 64 Source of data: \_\_\_\_\_ 65

Depth to basement: \_\_\_\_\_ 66 \_\_\_\_\_ 67 Source of data: \_\_\_\_\_ 68

Surficial material: \_\_\_\_\_ 69 \_\_\_\_\_ 70 \_\_\_\_\_ 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ 73 \_\_\_\_\_ 74 gpd/ft \_\_\_\_\_ 75 \_\_\_\_\_ 76 \_\_\_\_\_ 77  
 Coefficient Storage: \_\_\_\_\_ 78

Coefficient Perm: \_\_\_\_\_ 79 \_\_\_\_\_ 80 gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ 81 \_\_\_\_\_ 82 gpm/ft; Number of geologic cards: \_\_\_\_\_ 83



Well No. \_\_\_\_\_  
C 26