

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by J. Shell Source of data BOWC Date 4/69 Map \_\_\_\_\_  
 State 28 County (or town) Washington 7.6  
 Latitude: 33° 25' 01" N Longitude: 090° 47' 12" W Sequential number: 1  
 Lat-long accuracy: 3 T. 18 S. R. 6 E. Sec 11 T. SW SE  
 Local well number: F035CD1118N06W Other number: \_\_\_\_\_ B & M  
 Local use: 203 Owner or name: \_\_\_\_\_  
 Owner or name: M. SMYLY Address: Leland  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W  
 DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes  no   
 Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 387 ft Meas. rept accuracy 3  
 Depth cased: 367 ft Casing type: Galv; Diam. in 2  
 Finish: (C) porous concrete, (F) gravel w. (H) gravel w. (G) horiz. (D) open (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) rotary, (V) trenching, (W) driven, (B) drive wash, other H  
 Date Drilled: 9.6.9 Pump intake setting: \_\_\_\_\_ ft  
 Driller: \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (B) other  Deep  Shallow 40  
 Power (type): diesel, elec gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: 115 Accuracy: Topo  
 Water Level 24 ft above MP; Ft below LSD 24 Accuracy: \_\_\_\_\_  
 Date meas: 3.6.9 Yield: \_\_\_\_\_ gpm 21 Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No.

F 35

Latitude-longitude N  
S  
d m s d m s

**DROGEOLOGIC CARD**

NAME AS ON MASTER CARD \_\_\_\_\_ Physiographic Province: \_\_\_\_\_ Section: 03

Drainage Basin: E Subbasin: 154

Site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat V

OR  
 SYSTEM: \_\_\_\_\_ series: TE aquifer, formation, group: CP  
 Aquifer Thickness: 2 130 ft

Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft 270

OR  
 SYSTEM: \_\_\_\_\_ series: \_\_\_\_\_ aquifer, formation, group: QGMA  
 Aquifer Thickness: \_\_\_\_\_ ft 159

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 15

Intervals screened: 2" SS


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Official: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Efficient: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Efficient: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

F 35