

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B. E. Wasson Source of data \_\_\_\_\_ Date 5-18-62 Map Refuge

State Mississippi County Washington Sequential number: 716  
28

Latitude: 33 deg 16 min 15 sec N Longitude: 090 degrees 59 min 24 sec W  
Sequential number: 1

Lat-long accuracy: 2 T. 17 S. R. 8 E Sec 37, SW 1/4, SE 1/4, SE 1/4 (SW, SE, SE, 35)

Local well number: G033DD3717NO8W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: J. W. Barry

Owner or name: J. W. BERRY Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (H) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS Partial (field)

Freq. sampling:  Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 50 ft 50 meas. rept. 0

Depth cased; (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. 14 in

Finish: porous concrete, gravel w. concrete, (perf.), gravel w. (screen), (H) horiz. open perf., screen, sd-pt., shored, open hole, other J

Method: (A) air bored, cable, dug, hyd rot., (C) bored, (D) auger, (H) hand, (J) jetted, (P) percussion, rotary, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other V

Date Drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, submerg, (S) turb, other P Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. \_\_\_\_\_

Descrip. MP Mouth of pitcher pump, 2.5 ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 114 Accuracy: topo 3

Water Level: 12.94 ft above MP; Ft. below LSD 10 Accuracy: \_\_\_\_\_ 6

Date meas: 5-18-62 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride 2 Hard. 308 7

Sp. Conduct 430 K x 10<sup>6</sup> 3 Temp. 66 °F Date sampled 5-18-62 562

Taste, color, etc. pH=6.6

Well No. G33

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

NAME AS ON MASTER CARD Physiographic Province: Coastal Plain 03 Section: Miss. River

Coastal plain E Drainage Basin: 157 Subbasin:  

(D) of depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, site: (Ø) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat 27

SYSTEM: Quaternary , Pleistocene Q1G Miss. River alluvium M1A

Geology: sand & gravel alluvium 9A Origin: Fluvial 2 Aquifer Thickness:   ft

Length of well open to:   ft   Depth to top of:   ft

SYSTEM:   ,   aquifer, formation, group  

Geology:   Origin:   Aquifer Thickness:   ft

Length of well open to:   ft   Depth to top of:   ft

Materials used:  

Depth to consolidated rock:   ft   Source of data:  

Depth to cement:   ft   Source of data:  

Material:   Infiltration characteristics:  

Efficient:   gpd/ft   Coefficient Storage:  

Efficient:   gpd/ft<sup>2</sup>; Spec cap:   gpm/ft; Number of geologic cards:  

