

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Monroe Source of data Bowc Date 9-71 Map \_\_\_\_\_

State 28 County Washington (or town) 76

Latitude: 33 18 00 N Longitude: 0 9 10 43 0 Sequential number: 1

Lat-long accuracy: 3 T. 12 S. R. 8 E Sec 13, SW NW

Local well number: G124CB1317N08W Other number: \_\_\_\_\_ B & M

Local use: 203 Owner or name: \_\_\_\_\_

Owner or name: Joe Love Address: Greenville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 410 ft Meas. rept \_\_\_\_\_

Depth cased: 400 ft Casing type: galv. Diam. 4x2 in \_\_\_\_\_

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open perf., (I) screen, (J) sd. pt., (K) shored, (L) open hole, (M) other \_\_\_\_\_ S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) wash, (M) other \_\_\_\_\_ H

Date Drilled: 9-71 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Lambert Drilling Co.

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3/4 \_\_\_\_\_ Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 115 Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD 32 Accuracy: \_\_\_\_\_

Date meas: 8-7-71 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Well No. G 124

**HYDROGEOLOGIC CARD**

NAME AS ON MASTER CARD Physiographic 03 Section: \_\_\_\_\_  
 Province: \_\_\_\_\_  
 Drainage Basin: E 157 Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 site: (E) (P) (S) (T) (U) (V) \_\_\_\_\_  
 offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

Hydrogeologic system: \_\_\_\_\_ series: TE aquifer, formation, group: CΦ  
 Origin: \_\_\_\_\_ Aquifer Thickness: 50 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft  
37 10 360

Hydrogeologic system: \_\_\_\_\_ series: \_\_\_\_\_ aquifer, formation, group: \_\_\_\_\_  
 Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Material used: 2 1/2" St. Steel


Consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Unconsolidated material: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Hydrogeologic characteristics: \_\_\_\_\_

Hydrogeologic coefficient: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Hydrogeologic coefficient: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. G 124