

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR : GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data BOWC Date 12-71 Map \_\_\_\_\_

State 28 County (or town) Washington 7.6

Latitude: 33 19 27 N Longitude: 0 9 10 4 29 Sequential number: 1

Lat-long accuracy: 3 T 17 S R 9 W Sec 20 NE NE

Local well number: 6131AA2017N19W Other number: \_\_\_\_\_ B & M

Local use: 203 Owner or name: \_\_\_\_\_

Owner or name: D. VICKERS Address: Greenville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, (H) \_\_\_\_\_

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 480 Meas. rept. accuracy 3

Depth cased: \_\_\_\_\_ ft 460 Casing type: Galv Diam. 4x2 4

Finish: porous concrete, gravel w. screen, gravel w. gallery, horiz. open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method Drilled: (A) air, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) reverse, (H) percussion, (I) trenching, (J) driven, (K) drive wash, (L) other \_\_\_\_\_

Date Drilled: 9-7-71 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Lambert Drlg name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, exc, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) Topo 5' 3

Water Level: \_\_\_\_\_ ft above below MP; Ft. below LSD 42 Accuracy: \_\_\_\_\_ D

Date meas: D-7-1 Yield: \_\_\_\_\_ gpm 20 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>5</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

PUNCHED

Well No.

G131

**DROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 15I Subbasin: \_\_\_\_\_

o of (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, 1 site: (Ø) (F) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

OR TE aquifer, formation, group CØ

ology: U.S. Origin: 2 Aquifer Thickness: 42 ft  
Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft 448

OR \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

ology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

ervals 2" S.S.


th to solidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

ch to ment: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

ficial rial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

fficient is: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

fficient is: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

G131