

5/23/95=37.63

WRD Exp. (GW)  
April 1966

Well No. K15

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Record by WT. Oakley Source of data Mr Morris Date 11-2-67 Map \_\_\_\_\_

State Mississippi 28 County (or town) Washington 76

Latitude: 33 13 51 N Longitude: 09 10 24 1 Sequential number: 1

Lat-long accuracy: 2 T. 16 S. R. 8 Sec 4 SE t. SE t. (NW, SE 17) B & H

Local well number: K015D0416N08W Other number: \_\_\_\_\_

Local use: 064 568 3.0 Owner or name: Riverside Water Assoc

Owner or name: RIVERSIDE WATER ASSOC Address: Avon miss.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S Rec, (B) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other 60 customers P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.: original  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS 4-4-72 C

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1171 w/ tail pipe etc 1164 Meas. rep. accuracy 3

Depth cased: (first perf.) 1009 ft Casing type: \_\_\_\_\_; Diam. 8.4 in 8

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot, (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other H

Date Drilled: 7-1966 966 Pump intake setting: \_\_\_\_\_ ft

Driller: Jayne Central Cleveland, Miss.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other S Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP air vent at 105 ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 113 113 Accuracy: (source) tops 3

Water Level: 27.16 ft above MP; Ft below LSD 27 Accuracy: measured A

Date meas: 11-1-67 N67 Yield: 184 gpm 184 Method P determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct: 1490 K x 10<sup>6</sup> 5 Temp. 78 °F 26 Date sampled: N67

Taste, color, etc. pH=8.7

11/13/80  
 WLWMP-33.95  
 MP-top of base  
 1' LSD  
 WLWSD-32.95  
 113  
 83  
 80  
 7/13/81  
 45  
 11.03  
 33.97  
 1.0  
 32.97  
 85W

Well No. K15

