

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JIS Source of data BOUC Date 6/70 Map \_\_\_\_\_

State 28 County (or town) Washington 76

Latitude: 33 11 25 N Longitude: 0 9 05 53 4 Sequential number: 1

Lat-long accuracy: 3 T. S. R. W. Sec. k. k. k.

Local well number: 4051AD3316NO7W Other number: \_\_\_\_\_ B & M

Local use: 190 Owner or name: ALBERT PREVOT Address: Hollandale

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other I

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 111 ft Meas. accuracy 3

Depth cased: (first perf.) 7 ft Casing type: Steel Diam. 16 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) rot., (K) air, (L) air reverse, (M) air reverse, (N) air reverse, (O) air reverse, (P) air reverse, (Q) air reverse, (R) air reverse, (S) air reverse, (T) air reverse, (U) air reverse, (V) air reverse, (W) air reverse, (X) air reverse, (Y) air reverse, (Z) air reverse S

Method: (A) air, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air, (G) air, (H) air, (I) air, (J) air, (K) air, (L) air, (M) air, (N) air, (O) air, (P) air, (Q) air, (R) air, (S) air, (T) air, (U) air, (V) air, (W) air, (X) air, (Y) air, (Z) air H

Date-Drilled: 9:70 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): diesel elec, gas, gasoline, hand, gas, wind; H.P. 50 M Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 105 Accuracy: (source) 3

Water Level: 11 ft above MP; Ft below LSD 11 Accuracy: \_\_\_\_\_

Date meas: 570 Yield: 2600 gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

251

Well No. LS1

Latitude-longitude N  
S  
d m s d m s

ROGEOLOGIC CARD

ME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 15I Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, site: (M) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat: \_\_\_\_\_

ER: \_\_\_\_\_ system series 09 aquifer, formation, group MA

logy: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 88 ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: 40 ft 23 ft

ER: \_\_\_\_\_ system series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

logy: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Material: 16" Steel


to dated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

to ent: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

cial ial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

icient \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

icient \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

LS1