

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by WTO Source of data Bowc Date 2/69 Map \_\_\_\_\_

State 28 County Washington (or town) 76

Latitude: 331329 N Longitude: 0905029 Sequential number: 1

Lat-long accuracy: 5 T. 16 S. R. 6 Sec 20

Local well number: M042 2016 W06W Other number: \_\_\_\_\_ B & M

Local use: 064 Owner or name: \_\_\_\_\_

Owner or name: FREY FARMS INC Address: Hollandale

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 120 ft Meas. rept accuracy \_\_\_\_\_

Depth cased: 60 ft Casing type: Steel Diam. in 16

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other \_\_\_\_\_

Method: air bored, cable, dug, hyd jetted, rot., air percussion, rotary, reverse trenching, driven, wash, other \_\_\_\_\_

Date Drilled: 1/69 969 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Jayne Central name address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 110 Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD Accuracy: \_\_\_\_\_

Date meas: 169 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

M 42

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

NAME AS ON MASTER CARD Physiographic Province: **03** Section: \_\_\_\_\_

**E** Drainage Basin: **115H** Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
site: (S) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat **V**

FER: \_\_\_\_\_ **GG** \_\_\_\_\_ **MA** \_\_\_\_\_  
system series aquifer, formation, group

ology: \_\_\_\_\_ **R** \_\_\_\_\_ **2** \_\_\_\_\_  
Origin: Aquifer Thickness: **> 105** ft

Length of well open to: \_\_\_\_\_ ft **60** Depth to top of: \_\_\_\_\_ ft **115**

FER: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

ology: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
Origin: Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

ervals used: \_\_\_\_\_


to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

cial: \_\_\_\_\_ **70-71** Infiltration characteristics: \_\_\_\_\_

icient: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

icient: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

M42