

WELL SCHEDULE 166B HOLLANDALE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JCM Source of data BOWC Date 2-72 Map \_\_\_\_\_

State Wash County 28 (or town) 17 7.6

Latitude: 33 11 26 N Longitude: 0 9 0 4 7 40 Sequential number: 1

Lat-long accuracy: 2 0 T 160 S, R 60 E Sec 35, NW 1/4, NW 1/4, SE 1/4

Local well number: M049BD3516N06W Other number: \_\_\_\_\_ B & M

85 Local use: 193 Owner or name: M E R I V E R S Address: Hollandale

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no, period:

Aperture cards:  yes

Log data:  D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 483 ft Meas. 3 accuracy

Depth cased; (first perf.): 463 ft Casing type: Yah Diam. 4x2 in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other, (K) other, (L) other, (M) other, (N) other, (O) other, (P) other, (Q) other, (R) other, (S) other, (T) other, (U) other, (V) other, (W) other, (X) other, (Y) other, (Z) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) percussion, (I) rotary, (J) other, (K) other, (L) other, (M) other, (N) other, (O) other, (P) other, (Q) other, (R) other, (S) other, (T) other, (U) other, (V) other, (W) other, (X) other, (Y) other, (Z) other H

Date Drilled: 971 Pump intake setting: \_\_\_\_\_ ft 36 38

Driller: Schultz name address

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other, (M) other, (N) other, (O) other, (P) other, (Q) other, (R) other, (S) other, (T) other, (U) other, (V) other, (W) other, (X) other, (Y) other, (Z) other  Deep  Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H<sub>2</sub>P, (I) other, (J) other, (K) other, (L) other, (M) other, (N) other, (O) other, (P) other, (Q) other, (R) other, (S) other, (T) other, (U) other, (V) other, (W) other, (X) other, (Y) other, (Z) other 5 Trans. or meter no.

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 100 Accuracy: (source) 5

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD Accuracy: 26

Date meag: 071 Yield: \_\_\_\_\_ gpm 26 Method determined 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Well No. M 49

HYDROGEOLOGIC CARD

MEAS ON MASTER CARD

Physiographic

Province:

03

Section:

E

Drainage

Basin:

15H

Subbasin:

26

(D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp,

of site: (M) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

R

FER:

system

series

TE

aquifer, formation, group

Cφ

ology:

US

Origin:

2

Aquifer

Thickness:

102 ft

Length of well open to:

ft

Depth to top of:

ft

384

R

FER:

system

series

aquifer, formation, group

Aquifer

Thickness:

ology:

Origin:

Thickness:

Length of well open to:

ft

Depth to top of:

ft

ervals

used:

2" S.S.

1 to

olidated rock:

ft

Source of data:

1 to

ment:

ft

Source of data:

cial

ial:

Infiltration

characteristics:

icient

icient

gpd/ft


Coefficient

Storage:

gpd/ft<sup>2</sup>; Spec cap:

gpm/ft; Number of geologic cards:

QGMA to 147 ft (sd 15-147')



Well No.

M 49

