

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by WJ Source of data MBWC Date 5-17-74 Map \_\_\_\_\_

State 28 County (or town) Washington 76

Latitude: 33° 15' 45" N Longitude: 090° 48' 16" W Sequential number: \_\_\_\_\_

Lat-long accuracy: 5 T 150 N 6 E 3 Sec \_\_\_\_\_

Local well number: M058 0315N06W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: Thomas Hollingsworth & Co. Address: Hollandale

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other T

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

erture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft Meas. 112 3

Depth cased: \_\_\_\_\_ ft Casing type: Steel Diam. \_\_\_\_\_ in 16

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (U) driven, (W) drive wash, (Z) other H

Date Drilled: 4-8-74 9-7-74 Pump intake setting: \_\_\_\_\_ ft

Driller: Singer-Layne Central name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (M) multiple, (N) multiple, (P) none, (R) piston, (S) rot, (T) submerg, (U) turb, other T Deep  Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: 4-7-74 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Latitude-longitude N  
S  
d m s d m s

ROGEOLOGIC CARD

AS ON MASTER CARD Physiographic Province: **03** Section: \_\_\_\_\_

**E** Drainage Basin: **15H** Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L) of depression, stream channel, dunes, flat, hilltop, sink, swamp, site: (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

ER: \_\_\_\_\_ **06** \_\_\_\_\_ **MA** \_\_\_\_\_  
system series aquifer, formation, group

logy: \_\_\_\_\_ **R** \_\_\_\_\_ **2** \_\_\_\_\_ **97** ft  
Origin: Aquifer Thickness:

Length of well open to: \_\_\_\_\_ ft **50** Depth to top of: \_\_\_\_\_ ft **15**

ER: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

logy: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
Origin: Aquifer Thickness:

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

vals ned:


to lidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

to ent: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

cial ial: \_\_\_\_\_ \_\_\_\_\_ Infiltration Characteristics: \_\_\_\_\_

icient : \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

icient \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.