

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

#### MASTER CARD

Record by WTO Source of data Bowc Date 1/69 Map \_\_\_\_\_

State 28 County Wash (or town) 76

Latitude: 33° 07' 15" N Longitude: 090° 48' 30" W Sequential number: 1

Lat-long accuracy: 3 T. 15 S. R. 6 Sec 27, 1 NE, NW

Local well number: P047AB2715N06W Other number: \_\_\_\_\_ B & M

Local use: 061 Owner or name: Thomas Hollingsworth

Owner or name: T HOLLINGSWORTH Address: 46 Hollandale

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) T

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed (D) (G) (H) (I) (M) (N) (P) (R) (T) (U) (W) (X) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.: NONE Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 108 ft Meas. accuracy 3

Depth cased: 58 ft Casing type: steel; Diam. 16 in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), gallery, end, horiz. open perf., screen, sd. pt., shored, open hole, other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) rot., (F) air percussion, (G) air reverse, (H) air reverse, (I) air reverse, (J) air reverse, (K) air reverse, (L) air reverse, (M) air reverse, (N) air reverse, (O) air reverse, (P) air reverse, (Q) air reverse, (R) air reverse, (S) air reverse, (T) air reverse, (U) air reverse, (V) air reverse, (W) air reverse, (X) air reverse, (Y) air reverse, (Z) air reverse H

Date Drilled: 5/68 9:6:8 Pump intake setting: \_\_\_\_\_ ft

Driller: Jayne Central name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, gas, wind; H.P. 50  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 105 Accuracy: (source) 3

Water Level \_\_\_\_\_ ft above below MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm 2000 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED

Well No.

P47

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 15H Subbasin: \_\_\_\_\_

of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
site: (D) (C) (E) (F) (H) (K) (L) \_\_\_\_\_  
(O) (P) (S) (T) (U) (V) \_\_\_\_\_

ER: \_\_\_\_\_ QG \_\_\_\_\_ MA  
system series aquifer, formation, group

logy: \_\_\_\_\_ R Origin: 2 Aquifer Thickness: > 94 ft

Length of well open to: \_\_\_\_\_ ft 50 Depth to top of: \_\_\_\_\_ ft 14

ER: \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

logy: \_\_\_\_\_ \_\_\_\_\_  
Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_


to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

cial ial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

icient \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

icient \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



5 miles SE of Hollandale

Well No.

D47